A

Aberdam E, 381
Acland RA, 694
Aghassi D, 183
Ahmad I, 901
Ahmad N, 1041
Ahn KY, 1108
Ahnhudt C, 504
Aho S, 505
Aiso S, 312
Aita VM, 761
Akhand AA, 1157
Akiyama M, 889
Alanko T, 286
Albanesi C, 81
Albert RB, 974
Almeida AS, 935
Amagai M, 829
Anderegg U, 882
Anderson R, 183, 704
Ando H, 699
Andrade-Gordon P, 162
Andre N, 118
Andrei G, 893
Angoulvant N, 368
Anichini A, 48
Ansel JC, 1021
Aoki N, 329, 402
Aragane Y, 1008
Araki K, 699
Arlett CF, 687
Armstrong CA, 1021
Armstrong DB, 1088
Asbe-Vollkopf A, 30
Ashida T, 1163
Ashton K, 694
Auberger P, 381
Audring H, 254, 620
Augsburger E, 1054
Augustin W, 499
Austyn JM, 449
Auwerx J, 353
Awad S, 746

B

Baadsgaard O, 317
Bagot M, 74, 994
Ballotti R, 381
Ban J, 219, 1148
Bang K, 640
Barnes KC, 906
Barr RM, 292
Bartenstein P, 1029
Bastuji-Garin S, 149
Bata-Csörgo Z, 345
Bataille V, 467
Batko S, 974
Bayer G, 219
Beaty T H, 906
Becker J C, 625
Behne M, 768
Beissert S, 57
Bencsáth M, 345
Bennett C, 805
Bensussan A, 74, 994, 1161
Bergman R, 763
Bernard P, 213
Bernassola F, 731
Bertocchi M, 149
Beyer K, 906
Bikle DD, 353
Binder B, 1115
Biossy RE, 875
Birch-Machin MA, 674
Björkstén B, 906
Blanco-Gelaz M, 824
Blouin R, 860
Boelaert J R, 893
Boggess D, 1072
Bohne M, 499
Boissy Y L, 875
Böni R, 1104
Bontemps Y, 962
Borst I, 901
Bosserhoff A, 42
Boukamp P, 1095
Bouloc A, 1161
Boumsell L, 74, 994
Braathen LR, 647, 668
Brady JJ, 868
Brenneisen P, 909
Brilliant M H, 607
Bröcker E, 842
Brockly F, 740
Bros M, 658
Brown JR, 849
Bruckner-Tuderman L, 207
Brzoska T, 1021
Buettner R, 42
Buisson-Legendre N, 213
Bullani R, 141
Burg G, 1104
Burge S, 1144
Busch DB, 974

C

Calista D, 766
Cam G, 795
Campton K, 57
Candi E, 731
Capulas E, 687
Cardwell N, 1124
Cario-André M, 193
Catani MV, 731
Cavani A, 81
Chabanette-Schirm F, 994
Chabanne L, 136
Chadwick CA, 37
Chae HZ, 1108
Chan N, 328
Chandraratna R A, 321
Chang Y, 183
Chao S, 307
Charue D, 1161
Chen C, 1124
Chouaib S, 74
Christiano AM, 761
Chung JH, 177
Cianfarani F, 388
Cichon S, 764
Claas FH, 421
Clawson G, 614
Clingen PH, 687
Cohen N, 763
Cole M, 12
Coleman CM, 694
Collin P, 990
Condon TP, 805
Cong Z, 614
Cook H, 225
Cook PW, 849
Cooper SR, 805
Cornell K, 849
Costanzo M, 162
Countryman NB, 267
Cross CE, 427
Cross SE, 914
Crowe MJ, 3
Crumrine D, 768
Cui C, 1008

D

D'atri S, 1000
Darby C, 868
Darsow U, 1029
Darvas Z, 345
Dascalu A, 714
Davies K, 225
Davis MD, 1169
De Verneuil H, 1156
Declercq W, 1148
Degraef C, 893
Delattre V, 260
Deshpande R, 477
Devalaraja MN, 234
Devalaraja R, 234
Dhitavat J, 1144
Diamond I, 788
Diaz LA, 955
Ding W, 57
Dittmar HC, 680
Dobozy A, 345
Doetschman T, 3
Dorothée G, 74
Dortzbach K, 726
Dresler J, 454
Drews R, 1034
Driller H, 421
Drzezga A, 1029
Du J, 234
Dummer R, 1104

E

Eady JA, 694
Eady RA, 368, 1088
Echchakir H, 74, 994
Eckhart L, 1148
Edwards MJ, 88
Egli F, 647
Eisinger M, 162
Eldar T, 24
Elder GH, 868
Elder JT, 477
Elias PM, 353, 361, 459, 768
Elomaa O, 778
Eming SA, 12
Emmert S, 974
Emonard H, 213
Emri G, 435
Enk AH, 658
Ermakov IV, 441
España A, 1159

F

Failla C M, 388, 1000
Falcinelli S, 1000
Falus A, 345
Farboud B, 427
Fartasch M, 768
Fastrich M, 1021
Federici M, 81
Feingold KR, 353, 361, 459
Feyes DK, 1041
Finlay-Jones JJ, 317
Fisher GJ, 177
Flamme I, 12
Fleckman P, 1072
Fleischmajer R, 771
Floeth M, 207
Forster J, 906
Fouchard N, 149
Fradette J, 860
Franceschi C, 835
Frank S, 245
Freidhoff L, 906
French LE, 141
Freyschmidt-Paul P, 653
Friedman-Birnbaum R, 763
Frisch M, 1029
Fritsch P, 459
Frossard PM, 763
Frost C, 273
Frumkin A, 974
Frutig K, 647
Fu C, 955
Fu J, 477
Fuchs PG, 124
Fujii T, 1065
Fujii Y, 829
Fujimoto N, 633
Fujioka M, 1065
Fukunaga M, 699
Fumelli C, 835
Fürész J, 345
Futei Y, 829

G

Gall Y, 193
Gao W, 459
García-Granero M, 1159
Gardner JM, 607
Gartsbein M, 24
Gellermann W, 441
Gellrich S, 504, 620
Germain L, 860
Gesser B, 640
Geusau A, 219
Giannetti A, 835, 1134
Gille J, 30

0022-202X/00/$15.00 • Copyright © 2000 by The Society for Investigative Dermatology, Inc.

Gillies R, 100, 704
Gilliland K, 614
Ginestar J, 193
Girolomoni G, 81, 1134
Giudice GJ, 842, 955
Giustizieri ML, 1134
Glick A, 788
Goldstein AM, 766
Gollnick H, 499
Golob M, 42
González S, 100, 824
Goos M, 1082
Goossens A, 129
Gordon RE, 771
Goto Y, 986
Grabczynska S, 471
Graeven U, 118
Granstein RD, 57
Greaves MW, 292
Green A, 273
Green MH, 687
Greenhalgh DG, 3
Grimbaldeston MA, 317
Grondin G, 860
Guignard R, 860
Gupta AK, 901
Gupta S, 1041

H

Haak-Frendscho M, 345
Haftek M, 368
Häkkinen L, 778
Hamamoto Y, 1163
Hanun H, 664
Hanley K, 353, 361
Happle R, 653
Hara I, 1059
Hara J, 406
Hardee GE, 805
Harding KG, 225
Hardt-Weinelt K, 30
Hari Y, 647
Hart PH, 317
Hashimoto I, 312, 493
Hashimoto T, 200, 1166
Hata TR, 441
Haustein UF, 882
Hawk JL, 471
Hayes DJ, 106
Hazan R, 771
Heenen M, 893
Hegyesi H, 345
Hembry RM, 778
Hemminki K, 95
Hennies HC, 664
Hermans P, 893
Herreros J, 1159
Herrmann G, 909
Hervonen K, 990
Higuchi K, 406
Hirako Y, 1166
Hirano A, 1065
Hiraoka Y, 312
Hirsch D, 499
Hoath SB, 875
Hoffman RL, 345
Hoffmann R, 653
Hofmann UB, 337, 625
Hogenkamp V, 1047
Höhler T, 1165
Holick MF, 757
Holleran WM, 459, 768
Holopainen P, 990
Holtgreve-Grez H, 1095
Hombrados I, 1156
Hommel C, 909
Hongcharu W, 183
Höök-Nikanne J, 778
Horikawa T, 1059
Horkay I, 435
Hornebeck W, 213
Hornyak TJ, 106
Horváth A, 345
Hosaka Y, 981
Hossain K, 1157
Hovnanian A, 113, 1144
Hu J, 486
Huang S, 906
Hull C, 1072
Hummler D, 680
Huygens S, 129
Hynd PI, 753

I

Ichihashi M, 699, 1059
Iehara N, 771
Igawa K, 746
Iizuka H, 1088
Ikeda S, 134
Imai T, 486
Imokawa G, 406
Irwin W, 694
Ishibashi A, 633
Ishida-Yamamoto A, 1088
Ishihara H, 1065
Ishii M, 986
Ishiko A, 312, 889
Isseroff R, 427
Ito K, 329, 402
Ito M, 200, 329, 402
Itoh T, 981
Iwasaki H, 299

J

Jablonska S, 124
Jackson DM, 757
Jackson HA, 868
Jaeger C, 375
Jahkola T, 778
Jahn S, 620
Jainta S, 842
Jans J, 435
Jansen CT, 95
Jaspers NG, 687
Jaunch A, 1095
Jensen J, 708
Jessen BA, 113
Jonuleit H, 658
Jost M, 118
Joubeh S, 1166
Jurk S, 396

K

Kadin ME, 1034
Kalden D, 1021
Kamarashev J, 1104
Kameyoshi Y, 1156
Kamide R, 981
Kamidono S, 1059
Kämpfer H, 245
Kaneda Y, 1008
Kang S, 177
Kanno T, 813
Karell K, 990
Karl S, 664
Karlen S, 668
Kárpáti S, 345
Karpinski S, 118
Karunaratne S, 795
Katakai Y, 200
Katayama H, 486
Katayama I, 746
Kato H, 1088
Kato M, 1157
Katori N, 981
Kaufmann R, 30, 1047
Kaushansky K, 1134
Kawada A, 813
Kawamura T, 154
Kawanabe T, 154
Kawashima M, 406
Kaya G, 1054
Kayagaki N, 154
Kazama T, 200
Kazerounian S, 505
Kealey T, 1152
Kemény L, 345
Kempf W, 1034, 1104
Kere J, 778
Kerl H, 1115
Kermici M, 414
Kerr LD, 1124
Khachik F, 441
Khadavi A, 974
Khan SG, 974
Kikkawa U, 699
Kim YP, 1108
Kinouchi M, 1088
Kitajima Y, 1166
Kitazawa T, 942
Kiyama H, 1088
Klede M, 1015
Klein E, 1047
Knop J, 658
Koerten H K, 421
Kohler J, 260
Kollias N, 100, 704
Kömüves LG, 353, 361
König A, 653
Konishi H, 699
Kono T, 986
Korenstein R, 714
Koumantaki E, 719
Kraemer KH, 974
Kramer MD, 375
Krebsová A, 664
Krieg T, 12, 396
Krien PM, 414
Kruse N, 842
Kruse R, 764
Kudo T, 299
Kühn H, 499
Kukutsch NA, 449
Kuroda K, 771
Kusakabe M, 813
Kutil R, 1082
Kutzner H, 1104
Kvernebo K, 1170
Kwon BD, 1108

L

Labay V, 763
Lacal PM, 1000
Lam C, 788
Landi MT, 766
Lappin MB, 260
Larsen CG, 640
László V, 345
Lauer G, 12
Lazaro AM, 955
Le Gouvello S, 74
Lebwohl MG, 771
Lee J, 1108
Lee JE, 1108
Lee S, 1108
Lefebvre A, 353
Leicht C, 260
Leigh IM, 1095
Lengauer B, 1148
Lepoittevin J, 129
Lestringant GG, 763
Lévêque J, 454
Levi E, 1034
Lewis CM, 471
Lewis S, 1072
Li Y, 969
Liloglou T, 719
Limat A, 278
Lin J, 177
Lin M, 955
Linn S, 981
Lippens S, 1148
Lischetzki G, 1015
Liu W, 1157
Lonati A, 57
López-Larea C, 824
Lopez-Vasquez A, 824
Loulu L, 687
Lowe JE, 687
Luger TA, 1021
Lührs P, 1082
Lukowsky A, 254, 504, 620
Lund AH, 740
Lupetti R, 48
Lutz MB, 449

M

Ma W, 909
Macdonald S, 906
Maeda A, 1008
Magnol J, 136
Mahoney D, 795
Mahoney MG, 505
Majdic O, 219
Majewski S, 124
Mallet AI, 292
Malorni W, 835
Mami-Chouaib F, 74
Man M, 353, 361, 459
Manabe M, 813
Mann K, 12
Maquart F, 962
Marchal T, 136
Marco M, 788
Marconi A, 835
Marinkovich M, 842
Marsh DG, 906
Marshman G, 317
Martin S, 260
Martinez-Borra J, 824
Martínez-González M, 1159
Martinvalet D, 74
Martinvallet D, 994
Marttila RJ, 687
Mascia F, 1134
Masunaga T, 889
Matithyou A, 714
Matsumura F, 658
Matsumura M, 699
Matsushima K, 640
Mayer C, 219, 1148
Mcclane RW, 441
Mcclaren M, 427
Mcgrath JA, 694
Mcgrath J, 368
Mcgregor JM, 467, 471

Mchugh G, 1115
Mclean GH, 694
Meda P, 278
Mehta RC, 805
Melino G, 731
Meneguzzi G, 136
Menssen A, 66
Merk HF, 321
Meschkat E, 129
Miki T, 699
Mildner M, 219
Millard T P, 467
Minatohara K, 746
Miranda E, 57
Miyazaki Y, 746
Mizoguchi M, 134
Mizukawa Y, 299
Mommaas A, 421
Monti D, 835
Moraes MO, 935
Morel C, 1156
Morgan RR, 868
Mørk C, 1170
Mosselmans R, 893
Muche J, 254, 504, 620
Mukhtar H, 1041
Müllegger RR, 1115
Munro CS, 1088
Munz F, 1029
Murakami R, 1065
Murison J, 19
Muto M, 1163

N

Nadeau A, 860
Nagai H, 699, 1059
Nagata Y, 1166
Nakagawa H, 486
Nakajima H, 307
Nakamura S, 1088
Nakano A, 493
Nakano Y, 307
Nakashima I, 1157
Nakayama F, 299
Namba H, 1065
Nanney LB, 1124
Nanney L, 234
Napolitano A, 48
Narimatsu H, 299
Nasorri F, 81
Neisius U, 1015
Nery JA, 935
Nesci A, 753
Neuman C, 708
Neumann R, 133
Newby CS, 292
Ng DC, 353
Nguyen BC, 100
Nickel R, 906
Nie Z, 1166
Nikaido O, 193, 674
Nikolova M, 1161
Nishifuji K, 829
Nishihara S, 299
Nishikawa T, 312, 829, 889
Nishioka K, 746
Noël D, 740
Noel J, 893
Nofeh-Moses S, 24
Nonaka S, 889
Nöthen MM, 764

O

Odorisio T, 388, 1000
Offidani AM, 835
Ogawa H, 134
Ogawa W, 699
Ohtsura A, 1065
Oka M, 699, 1059
Okamoto R, 406
Okumura K, 154
Olague-Marchan M, 955
Ono S, 486
Orfanos CE, 321
Oron Y, 714
Ortonne J, 381
Out-Luiting C, 421
Owaribe K, 889, 1166
Owolabi T, 788
Ozawa H, 57

P

Pääkkönen K, 778
Pagani E, 1000
Paiker J, 868
Pain C, 193
Paine C, 162
Palazzi X, 136
Pállinger É, 345
Palumbo A, 48
Papadopoulos O, 719
Parmiani G, 48
Partanen J, 990
Pastore S, 1134
Pei Y, 267
Pelegrin M, 740
Pellicciari R, 835
Perrot H, 368
Pershing LK, 441
Petersen LJ, 1015
Petit-Frère C, 687
Petrogiannis-Haliotis T, 1034
Pfeifer WM, 1034
Pfeilschifter J, 245
Pfendner E, 493
Pfister HJ, 124
Pfister H, 396
Phillips MA, 113
Philpott MP, 1152
Pichler WJ, 647
Pickens WL, 875
Piechaczyk M, 740
Pincelli C, 835
Pisarra P, 48
Pivarcsi A, 345
Ploner M, 124
Poelman C, 454
Popp S, 1095
Potten CS, 37
Powell BC, 753
Preckel T, 260
Presland RB, 1072
Prinz JC, 66
Proby C, 1095
Proksch E, 708
Prota G, 48
Puddu P, 388, 731
Pukkala E, 62
Pulkkinen L, 307, 493
Puri N, 607

Q

Qian Q, 234

R

Rábago G, 1159
Rallis TM, 132
Ranki A, 62
Ray AJ, 674
Rechardt O, 778
Rees JL, 674
Reichert U, 321
Reimer S, 842
Reis A, 664
Reisinger K, 30
Rendl M, 219, 1148
Reske-Kunz AB, 658
Reunala T, 990
Revuz J, 149
Ribot-Ciscar E, 454
Rice RH, 113
Richmond A, 234
Ring J, 1029
Ritzkowsky A, 124
Ritzowsky A, 396
Roberts AG, 868
Roberts MS, 914
Robitaille H, 860
Röbner S, 449
Rodeck U, 118
Rogers G, 753
Rogounovitch T, 1156
Roll J, 454
Rooke T W, 1169
Roos T C, 321
Ross R, 658
Ross X, 658
Rossi A, 731
Rothnagel JA, 328, 795
Roujeau J, 149
Rowlands G L, 868
Roza L, 435
Ruiter DJ, 337, 625
Rukwied R, 1015
Ruthazer R, 1115
Rutz S, 620

S

Saalbach A, 882
Saarialho-Kere UK, 778
Saitoh A, 154
Sakaue M, 699
Saksela O, 286
Sakuntabhai A, 1144
Salomon D, 278
Salvioli S, 835
Sampaio EP, 935
Sampson SR, 949
Sanchez Del Río J, 824
Sánchez-Carpintero I, 1159
Sander C, 66
Sander G, 753
Sandroni P, 1169
Santos-Juanes J, 824
Sapadin AA, 771
Saraiva BC, 935
Saridaki Z, 719
Sarno EN, 935
Sato EF, 986
Satoh T, 746
Saurat J, 278, 1054
Saurat J
Scarponi C, 81
Schaefer BM, 375
Schallreuter KU, 131
Scharffetter-Kochanek K, 909
Schempp CM, 680
Schettini G, 835
Schietroma C, 388, 1000
Schilling T, 620
Schindl A, 133
Schmelz M, 1015
Schmidt E, 842
Schmiegel W, 118
Schmuth M, 459
Schneeberger A, 1082
Scholz TA, 441
Scholzen TE, 1021
Schön G, 1047
Schön M, 1047
Schöpf E, 680
Schothorst AA, 435
Schröder M, 321
Schuler G, 449
Schulte-Mönting J, 680
Schumann H, 207
Schütze S, 708
Schwaiger M, 1029
Schwarz T, 1008, 1021
Seiberg M, 162
Seiffert K, 57
Seiter S, 653
Sekiguchi M, 829
Sensi M, 48
Shapiro SS, 162
Sharlow E, 162
Sheehan JM, 37
Shen S, 949
Shi B, 427
Shibamoto T, 427
Shimada S, 154
Shimizu H, 307, 312, 889
Shimizu N, 486
Shimizu-Yoshida Y, 1156
Shiohara T, 299
Shiraiwa M, 813
Shudell E, 868
Siméon A, 962
Simon Bawden C, 753
Simon JC, 260, 680
Simonart T, 893
Simon-Haarhaus B, 680
Singh N, 1124
Sivarajah A, 614
Skov BG, 317
Skov L, 317
Skov PS, 1015
Sleeman MA, 19
Slor H, 974
Snellman E, 95
Snieder H, 467
Snoeck R, 893
Sobe T, 974
Sollberg S, 12
Sourvinos G, 719
Spadafora A, 136
Spandau DF, 267
Spandidos DA, 719
Spector TD, 467
Sprecher E, 763
Spruance SL, 132
Stallmeyer B, 245
Stamenkovic I, 1054
Stark S, 124
Stastny P, 955
Stecker KK, 805
Steere AC, 1115
Stephens P, 225
Sterry W, 254, 504, 620
Stingl G, 1082
Stoll SW, 477
Stoltidis M, 124
Straface E, 835
Strayhorn WD, 1124
Streilein J, 942
Stürzebecher J, 12
Suga Y, 134
Sullivan K, 726

Summerbell RC, 901
Sundberg JP, 653, 1072
Suthamjariya K, 183
Szabad G, 345
Szalai C, 345
Szargel R, 763

T

Tachibana T, 329
Taïeb A, 193
Tajima S, 633
Takahara H, 813
Takahashi H, 312, 1088
Takahashi M, 1157
Takamura N, 1156
Takeda K, 1157
Takizawa Y, 307, 312
Tamatani T, 299
Tanaka T, 1156
Tanew A, 219
Tasanen K, 207
Tateno H, 1163
Taylor CR, 183
Teles RM, 935
Templin MV, 805
Tennenbaum T, 24, 949
Teraki Y, 299
Tezuka T, 813, 1008
Thiboutot D, 614
Thomas DW, 225
Thomas RC, 88
Timár J, 345
Tinkle SS, 168
Togayachi A, 299
Tokushige H, 981
Travers JB, 267
Trebicz M, 24
Trommler P, 66
Tsai YJ, 805
Tschachler E, 219, 1148
Tschoop J, 141
Tsukada M, 321
Tsukamoto K, 699
Turner R, 674

U

Uchida Y, 768
Ueyama Y, 200
Uitto J, 307, 493, 505
Unda F, 771
Urano K, 200
Utzinger E, 1104

V

Vaalamo M, 778
Väkevä L, 62
Van Der Molen RG, 421
Van Erp P, 435
Van Muijen GN, 337, 625
Van Vooren J, 893
Vandenabeele P, 1148
Varani J, 177
Vaughan R, 471
Vestergaard C, 640
Viard I, 141
Vollmer S, 66
Voorhees JJ, 177

W

Waas ET, 625
Wagner C, 1082
Wagner SN, 1082
Wahn U, 906
Wahn V, 906
Wallich R, 375
Waltering S, 1095
Wang X, 328
Wang Z, 1034
Warner RR, 875
Watson JD, 19
Watson R, 868
Weber F, 459
Wegrowski Y, 962
Weibenborn S, 396
Weidner C, 1015
Weidong H, 154
Weilke F, 1029
Weimann TK, 1082
Weinrich B, 1047
Weissenborn S, 124
Weltzien HU, 260
Wenczl E, 435
Wendland T, 647
Weninger W, 219
Wenk J, 909
Werth VP, 726
Wertheimer E, 24, 949
Westphal JR, 337, 625
Wetzler C, 245
Whatley SD, 868
Wherli P, 141
Whittock NV, 368, 694
Wieland U, 124, 396
Williams G, 273
Williams ML, 353, 361
Wiswedel I, 499
Wiszniewski L, 278
Wlaschek M, 909
Wolf F, 368
Wolkenstein P, 149
Won Y, 1108
Wong JW, 427
Wood J, 131
Woods TL, 477
Worwood MW, 868

X

Xin H, 1104
Xu G, 95

Y

Yagita H, 154
Yamada Y, 771
Yamaguchi N, 200
Yamaizumi M, 981
Yamanouchi J, 813
Yamashiro S, 658
Yamashita S, 1065, 1156
Yan Z, 57
Yasuraoka I, 312
Yawalkar N, 647
Yi Q, 267
Yokozeki H, 746
Yoneyama H, 640
Yoshiki A, 813
Yoshimoto H, 1065
Yosida-Noro C, 813
Young AR, 37
Yu C, 969
Yu H, 969
Yu Y, 234
Yull FE, 1124

Z

Zambruno G, 388, 1000
Zanello S B, 757
Zepp F, 906
Zhang L, 168
Zhang T, 477
Zhang W, 726
Ziegler A, 653
Ziff EB, 106
Zillikens D, 842
Zlotogorski A, 761
Zöller M, 653
Zonios G, 100, 704
Zoras O, 719
Zouboulis C C, 321

A

A431 human epidermoid carcinoma cells, photodynamic therapy, 1041
Aberrant pH of Melanosomes in Pink-Eyed Dilution (*p*) Mutant Melanocytes, Puri N, Gardner JM, Brilliant MH, 607
Abstracts
  European Society for Dermatological Research (ESDR), 2000, 527, 1172
  Joint Meeting between the Society for Cutaneous Ultrastructure Research and Analytic Morphology and Experimental Dermatooncology Group of the ADF, 2000, 919
  Society for Dermatological Research (French-speaking), 2000, 509
  Society for Investigative Dermatology, 2000, 331
Acantholytic dyskeratotic nevi, 1144
Acetone, in allergy testing systems, 914
Acne
  fluorescence spectrometry for assessing, 100
  photodynamic therapy with topical aminolevulinic acid, 183
Acrodermatitis chronica atrophicans, cytokine mRNA expression, 1115
Actinic keratoses, carotenoid concentrations, 441
Actinic prurigo, polymorphic light eruption and, 471
Activating proteins *see* AP-1; AP-2
Acute Effects of Substance P and Calcitonin Gene-Related Peptide in Human Skin – A Microdialysis Study, Weidner C, Klede M, Rukwied R, Lischetzki G, Neisius U, Skov PS, Petersen LJ, Schmelz M, 1015
Adenine nucleotides, inhibition of keratinocyte proliferation, 849
Adenosine
  inhibition of keratinocyte proliferation, 849
  transport into keratinocytes, 849
Adenosine- and Adenine-Nucleotide-Mediated Inhibition of Normal and Transformed Keratinocyte Proliferation is Dependent upon Dipyridamole-Sensitive Adenosine Transport, Brown JR, Cornell K, Cook PW, 849
Adenovirus vector, phosphatidylinositol 3-kinase pathway studies, 699
Adhesion molecules, in melanoma progression, 337, 625
Adrenocorticotropic hormone, 381, 1021
Adverse drug reactions, function of T cells, 647
Aging
  MAP kinase activities, 177
  skin, induction by PUVA, 909
Akt, in melanogenesis, 699
Albinism, oculocutaneous, 607
Allelic Deletion at 9p21–22 in Primary Cutaneous CD30+ Large Cell Lymphomas, Böni R, Xin H, Kamarashev J, Utzinger E, Dummer R, Kempf W, Kutzner H, Burg G, 1104
Allergic contact dermatitis
  chemical-induced, 168
  diagnosis of oakmoss sensitive, 129
Allergy testing, effects of occlusion and vehicle, 914
Alopecia areata, anti-CD44v10-specific antibody therapy, 653
Aminolevulinic acid, and photodynamic therapy, for acne, 183
Amniotic epithelia, cytokeratins and cornified cell envelope-associated proteins, 133
Amoxicillin, adverse reactions, 647
Amyotrophic lateral sclerosis, epidermal hyperplasia, 486
Analysis of Mouse Keratin 6a Regulatory Sequences in Transgenic Mice Reveals Constitutive, Tissue-Specific Expression by a Keratin 6a Minigene, Mahony D, Karunaratne S, Cam G, Rothnagel JA, 795
Analysis of the TCRBV Repertoire of T Cells in Normal, Human Skin: Evidence for a Restricted Diversity, Menssen A, Vollmer S, Trommler P, Sander C, Prinz JC, 66
Analytical Morphology and Experimental Dermatooncology Group of the ADF, 2000, *Abstracts*, 919
Angiogenesis
  placental growth factor and, 118, 388, 1000
  vascular endothelial growth factor and, 1000
Animal model, ichthyosis vulgaris, 1072
Anti-CD44v10-specific antibody therapy, alopecia areata, 653
Antigen presentation, effects of magnesium ions, 680
Antigen-presenting cells
  MHC class I-ovalbumin peptide complexes, 449
  tumor antigen presentation by dermal, 57
  see also Dendritic cells
Anti-Inflammatory Drugs Block Cytokine mRNA Accumulation in the Skin and Improve the Clinical Condition of Reactional Leprosy Patients, Moraes MO, Sarno EN, Teles RMB, Almeida AS, Saraiva BCC, Nery JAC, Sampaio EP, 935
Anti-melanocyte antibodies, in vitiligo, 969
Anti-sense oligonucleotides, ICAM-1 suppression, 805
AP-1
  activation by glucocorticoids, 746
  in atopic dermatitis keratinocytes, 1134
  inhibition by nitric oxide, 731
AP-2
  melanoma cell adhesion molecule regulation, 668
  in UVA-induced VEGF gene expression, 30
Apo-1 *see* Fas
Apoptosis
  CD95-transfected melanoma cells, 1008
  in cutaneous anaplastic lymphoma, 1034
  iron-deprived Kaposi's sarcoma cells, 893
  keratinocyte, role of caspase-14, 1148
  photodynamic therapy-induced, 1041
  resistance of keloid fibroblasts, 1065
  signaling pathways in skin, 141
  TGF-β1-induced, 286
  UVB-induced, carboxyfullerenes and, 835
  xeroderma pigmentosum keratinocytes, 687
Arteriovenous shunting, microvascular, in erythromelalgia, 1169
Assignment of the Gene for a New Hereditary Nail Disorder, Isolated Congenital Nail Dysplasia, to Chromosome 17p13, Krebsová A, Hamm H, Karl S, Reis A, Hennies HC, 664
Association and Linkage of Atopic Dermatitis with Chromosome 13q12-14 and 5q31-3 Markers, Beyer K, Nickel R, Freidhoff L, Björkstén B, Huang S-K, Barnes KC, MacDonald S, Forster J, Zepp F, Wahn V, Beaty TH, Marsh DG, Wahn U, 906
Association of a Promoter Polymorphism of Tumor Necrosis Factor-α with Subacute Cutaneous Lupus Erythematosus and Distinct Photoregulation of Transcription, Werth VP, Zhang W, Dortzbach K, Sullivan K, 726
Atopic dermatitis
  dysregulated activation of AP-1, 1134
  genetic associations, 906
  natural killer cells and memory T cells, 1161
  sphingomyelin deacylase, 406
  TARC in lymphocyte recruitment, 640
  ATP2A2 mutations, causing segmental Darier's disease, 1144
ATPase, Langerhans cell, effects of magnesium ions, 680
Atrichia, congenital, 761
Australia, incidence and regression rates of solar keratoses, 273
Autoantibodies
  in bullous pemphigoid, 842, 955
  envoplakin and periplakin, 505
  in linear IgA bullous dermatosis, 1166
  in pemphigus vulgaris, 829
  in vitiligo, 969
Autoantibodies to BP180 Associated with Bullous Pemphigoid Release Interleukin-6 and Interleukin-8 from Cultured Human Keratinocytes, Schmidt E, Reimer S, Kruse N, Jainta S, Bröcker E-B, Marinkovich MP, Guidice GJ, Zillikens D, 842

B

B7 molecules, Langerhans cell, effects of magnesium ions, 680
Barrier creams, for preterm infants, 875

0022-202X/00/$15.00 • Copyright © 2000 by The Society for Investigative Dermatology, Inc.

Barrier function, skin
in atopic dermatitis, 406
in keratin 10 deficient mice, 708
in Nieman–Pick disease, 459
Barx2 gene, in wool follicle development, 753
Basal-cell adhesion molecule (B-CAM), 1047
Basal-Cell Adhesion Molecule (B-CAM) is Induced in Epithelial Skin Tumors and Inflammatory Epidermis, and is Expressed at Cell–Cell and Cell-Substrate Contact Sites, Schön M, Klein CE, Hogenkamp V, Kaufmann R, Wienrich BG, Schön MP, 1047
Basal cell carcinoma
carotenoid concentrations, 441
GLI1 polymorphisms and, 328
loss of heterozygosity on 9p21-p22, 719
papillomavirus DNA, 124
risk, dermal mast cells and, 317
UV-induced DNA damage and repair, 95
Basement membrane
alterations in psoriasis, 771
BP180 structure and, 889
Basement Membrane Alterations in Psoriasis are Accompanied by Epidermal Overexpression of MMP-2 and its Inhibitor TIMP-2, Fleischmajer R, Kuroda K, Hazan R, Gordon RE, Lebwohl MG, Sapadin AN, Unda F, Iehara N, Yamada Y, 771
Bedsores, in amyotrophic lateral sclerosis, 486
Biglycan, glycyl-L-histidyl-L-lysine-Cu^{2+} and, 962
Biochemical Characterization of S100A2 in Human Keratinocytes: Subcellular Localization, Dimerization, and Oxidative Cross-Linking, Deshpande R, Woods TL, Fu, J, Zhang T, Stoll SW, Elder JT, 477
Blaschko's lines, genetic mosaicism, 1144
Book Reviews
Baker B, *Recent Advances in Psoriasis. The Role of the Immune System*, 1171
Cone RD, *The Melanocortin Receptors*, 508
Broad-Spectrum Sunscreens Offer Protection Against Urocanic Acid Photoisomerization by Artificial Ultraviolet Radiation in Human Skin, van der Molen RG, Out-Luiting C, Driller H, Claas FHJ, Koerten HK, Mommaas AM, 421
Bullous pemphigoid
IL-6 and IL-8 release, 842
target epitopes on BP180, 955
Thy-1 and Thy-1 ligand, 882
Bullous pemphigoid antigen 180 (BP180)
IL-6 and IL-8 release, 842
in vivo structure in human skin, 889
linear IgA bullous dermatosis IgA antibodies and, 1166
targeted epitopes, 955

C

C3H/HeJ mouse, anti-CD44v10-specific antibody therapy, 653
Cadherins, epitope mapping in pemphigus vulgaris, 829
Caffeine, and UV irradiation, in xeroderma pigmentosum variant, 981
Calcitonin gene-related peptide
acute effects in human skin, 1015
induction of tolerance, 942
Calcium, intracellular, hyperosmotic stimuli and, 714
Cancer, secondary, in cutaneous T cell lymphoma, 62
Carboxyfullerenes, 835
Carboxyfullerenes Protect Human Keratinocytes from Ultraviolet-B-Induced Apoptosis, Fumelli C, Marconi A, Salvioli S, Straface E, Malorni W, Offidani AM, Pellicciari R, Schettini G, Giannetti A, Monti D, Franceschi C, Pincelli C, 835
Carcinoma *in situ*, penile, HPV8 and genital papillomavirus coinfection, 124
Carotenoids, measurement in human skin, 441
Caspase-14, terminal differentiation of keratinocytes, 1148
CCR4, in atopic dermatitis, 640
$CD4^+$ T cells
in adverse drug reactions, 647
cytotoxic, in cutaneous T cell lymphoma, 74
depletion, anti-tumor effects, 1059
$CD8^+$ T cells
anti-tumor, inhibition by $CD4^+$ T cells, 1059
in contact hypersensitivity, 260
cytolytic, in cutaneous T cell lymphoma, 994
CD30
in cutaneous anaplastic lymphoma, 1034
in primary cutaneous large cell lymphoma, 1104
CD44, in lichen sclerosus et atrophicus, 1054
CD44v10 neutralizing antibody, in alopecia areata, 653
CD95 *see* Fas
CD95 ligand *see* Fas ligand
CD146, expression in keratinocytes, 219
Ceftriaxone, adverse reactions, 647
Celiac disease, and dermatitis herpetiformis in monozygous twins, 990
Cell adhesion
basal-cell adhesion molecule and, 1047
Thy-1/Thy-1 ligand interaction, 882
Cell-Density-Dependent Regulation of Expression and Glycosylation of Dopachrome Tautomerase/Tyrosinase-Related Protein-2, Hornyak TJ, Hayes DJ, Ziff EB, 106
Central nervous system, processing of itch, 1029
Ceramides
in atopic dermatitis, 406
in keratin 10 deficient mice, 708
processing in Nieman–Pick disease, 459
resistance of keloid fibroblasts, 1065
Cerebral cortex, processing of itch, 1029
Changes in Tactile Spatial Discrimination and Cutaneous Coding Properties by Skin Hydration in the Elderly, Lévêque J-L, Dresler J, Ribot-Ciscar E, Roll J-P, Poelman C, 454
Characterization of Glucose Transport System in Keratinocytes: Insulin and IGF-I Differentially Affect Specific Transporters, Shen S, Wertheimer E, Sampson SR, Tennenbaum T, 949
Characterization of a Transcription Factor Binding Site, Specifically Activating MIA Transcription in Melanoma, Golob M, Buettner R, Bosserhoff A-K, 42
Characterization of Vernix Caseosa: Water Content, Morphology, and Elemental Analysis, Pickens WL, Warner RR, Boissy YL, Boissy RE, Hoath SB, 875
Chemical Activation of Innate and Specific Immunity in Contact Dermatitis, Zhang L, Tinkle SS, 168
Chemicals, inducing contact dermatitis, 168
Chemokines
in atopic dermatitis, 640
in wound healing, 234, 245
Chromosomal aberrations, UVB and UVA-induced, in human skin cells, 435
Chromosome 1, uniparental disomy in Herlitz junctional epidermolysis bullosa, 307
Chromosome 5q31-3, atopic dermatitis association, 906
Chromosome 9p21-p22, loss of heterozygosity, 719, 1104
Chromosome 13q12-14, atopic dermatitis association, 906
Chromosome 17p13, isolated congenital nail dysplasia gene, 664
Chromosome 17q21, Naegeli–Franceschetti–Jadassohn syndrome gene, 694
Circadian clock genes, in human skin, 757
CLA (cutaneous lymphocyte-associated antigen), 299, 640
Clinical, Cellular, and Molecular Features of an Israeli Xeroderma Pigmentosum Family with a Frameshift Mutation in the XPC Gene: Sun Protection Prolongs Life, Slor H, Batko S, Khan SG, Sobe T, Emmert S, Khadavi A, Frumkin A, Busch DB, Albert RB, Kraemer KH, 974
Clock gene, in human skin, 757
Clofibrate, 353, 361
Cockayne syndrome, keratinocytes, effects of UVB, 687
Coexpression of Integrin $\alpha_v\beta_3$ and Matrix Metalloproteinase-2 (MMP-2) Coincides with MMP-2 Activation: Correlation with Melanoma Progression, Hofmann UB, Westphal JR, Waas ET, Becker JC, Ruiter DJ, 625
Co-Inheritance of Mutations in the Uroporphyrinogen Decarboxylase and Hemochromatosis Genes Accelerates the Onset of Porphyria Cutanea Tarda, Brady JJ, Jackson HA, Roberts AG, Morgan RR, Whatley SD, Rowlands GL, Darby C, Shudell E, Watson R, Paiker J, Worwood MW, Elder GH, 868
Collagen
gel cultures, apoptosis of cells in, 286
XVII, missense mutation, 207
Comedones, fluorescence spectrometry, 100
Comparative genomic hybridization, human skin carcinoma, 1095
Complete Paternal Uniparental Isodisomy of Chromosome 1: A Novel Mechanism for Herlitz Junctional Epidermolysis Bullosa, Takizawa Y, Pulkinnen L, Chao S-C, Nakajima H, Nakano Y, Shimizu H, Uitto J, 307
Compound Heterozygosity for a Point Mutation and a Deletion Located at Splice Acceptor Sites in the LAMB3 Gene Leads to Generalized Atrophic Benign Epidermolysis Bullosa, Takizawa Y, Hiraoka Y, Takahashi H, Ishiko A, Yasuraoka I, Hashimoto I, Aiso S, Nishikawa T, Shimizu H, 312

Concordance of Dermatitis Herpetiformis and Celiac Disease in Monozygous Twins, Hervonen K, Karell K, Holopainen P, Collin P, Partanen J, Reunala T, 990
Conditional Gene Expression in the Epidermis of Transgenic Mice Using the Tetracycline-Regulated Transactivators rTA and rTA Linked to the Keratin 5 Promoter, Diamond I, Owolabi T, Marco M, Lam C, Glick A, 788
Congenital Erythropoietic Porphyria: a Novel Homozygous Mutation in a Japanese Patient, *Letter*, Rogounovitch T, Takamura N, Hombrados I, Morel C, Tanaka T, Kameyoshi Y, Shimizu-Yoshida Y, de Verneuil H, Yamashita S, 1156
Connexins, during keratinocyte differentiation, 278
Contact dermatitis, chemical-induced, 168
Contact hypersensitivity
  calcitonin gene-related peptide and, 942
  $CD8^+$ T cells, 260
Corneocyte lipid envelope (CLE), origin, 765
Corneocytes, in vernix caseosa, 875
Corneodesmin gene, psoriasis and, 824
Cornified cell envelope
  absence of mutant loricrin, 1088
  inhibition of formation by nitric oxide, 731
  see also Stratum corneum
Cornified cell envelope-associated protein, in umbilical cord epithelium, 133
Croton oil, 168
μ-Crystallin, murine hair follicles, 402
μ-Crystallin, Thyroid Hormone-binding Protein, is Expressed Abundantly in the Murine Inner Root Sheath Cells, Aoki N, Ito K, Ito M, 402
Cutaneous lymphocyte-associated antigen (CLA), 299, 640
Cutaneous T cell lymphoma (CTCL)
  $CD4^+$ cytotoxic T lymphocytes, 74
  cytolytic clonal T cells with inhibitory receptors, 994
  secondary cancer risk, 62
  see also Mycosis fungoides
Cutaneous T Cell Lymphoma Reactive $CD4^+$ Cytotoxic T Lymphocyte Clones Display a Th1 Cytokine Profile and Use a Fas-Independent Pathway for Specific Tumor Cell Lysis, Echchakir H, Bagot M, Dorothée G, Martinvalet D, Le Gouvello S, Boumsell L, Chouaib S, Bensussan A, Mami-Chouaib F, 74
CXCR2 knockout mice, delayed wound healing, 234
Cyclical Changes in Rat Vibrissa Follicles Maintained *In Vitro*, Philpott MP, Kealey T, 1152
Cyclin D, in aged human skin, 177
Cyclin D1, in iron-deprived Kaposi's sarcoma, 893
Cyclobutane pyrimidine dimers
  in basal cell carcinoma patients, 95
UVA and UVB sunscreen protection, 37
Cyclosporin A, 986
Cytokeratin *see* Keratin
Cytokine Release and Cytotoxicity in Human Keratinocytes and Fibroblasts Induced by Phenols and Sodium Dodecyl Sulfate, Newby CS, Barr, RM, Greaves MW, Mallet AI, 292
Cytokines
  in dendritic cell maturation, 658
  glucocorticoid-mediated production, 746
  inducing placental growth factor, 388
  induction by phenols and sodium dodecyl sulfate, 292
  in Lyme borreliosis, 1115
  in reactional leprosy, 935
  stromelysin-2 induction, 778
  T cell-derived, in adverse drug reactions, 647
  xeroderma pigmentosum keratinocytes, 687
  see also Th1 cytokines; Th2 cytokines
Cytotoxic T lymphocytes (CTLs)
  in adverse drug reactions, 647
  anti-tumor, inhibition by $CD4^+$ T cells, 1059
  in cutaneous T cell lymphoma, 74, 994
  Pmel17/gp100 as target in melanoma, 1082

D

Darier's disease, segmental, 1144
Dead Sea water, mechanisms of effects, 680
Death receptors, in cutaneous biology and disease, 141
Death Receptors in Cutaneous Biology and Disease, Wehrli P, Viard I, Bullani R, Tschopp J, French LE, 141
Decorin, glycyl-L-histidyl-L-lysine-Cu^{2+} and, 962
Decreased Extracellular-Signal-Regulated Kinase and Increased Stress-Activated MAP Kinase Activities in Aged Human Skin *In Vivo*, Chung JH, Kang S, Varani J, Lin J, Fisher GJ, Voorhees JJ, 177
Decrease in Epidermal CD44 Expression as a Potential Mechanism for Abnormal Hyaluronate Accumulation in Superficial Dermis in Lichen Sclerosus et Atrophicus, Kaya G, Augsburger E, Stamenkovic I, Saurat J-H, 1054
Defective Extracellular Matrix Reorganization by Chronic Wound Fibroblasts is Associated with Alterations in TIMP-1, TIMP-2 and MMP-2 Activity, Cook H, Stephens P, Davies KJ, Harding KG, Thomas DW, 225
Deferiprone, 893
Delayed Wound Healing in CXCR2 Knockout Mice, Devalaraja RM, Nanney LB, Qian Q, Du J, Yu Y, Devalaraja MN, Richmond A, 234, 931 (*erratum*)
Delayed Wound Healing in Immunodeficient TGF-β1 Knockout Mice, Crowe MJ, Doetschman T, Greenalgh DG, 3
Dendritic cells
  maturation, fascin expression and, 658
  MHC class I-ovalbumin peptide complexes, 449
  trinitrophenyl (TNP)-derived peptide responses, 260
Dermatitis herpetiformis, and celiac disease in monozygous twins, 990
Dermatophytosis, xanthomegnin production, 901
Desferrioxamine, 893
Desmoglein 3, epitope mapping in pemphigus vulgaris, 829
Detection of Expanded T Cell Clones in Skin Biopsy Samples of Patients with Lichen Sclerosus et Atrophicus by T Cell Receptor-γ Polymerase Chain Reaction Assays, Lukowsky A, Muche JM, Sterry W, Audring H, 254
Detection of Xanthomegnin in Epidermal Materials Infected with *Trichophyton rubrum*, Gupta AK, Ahmad I, Borst I, Summerbell RC, 901
Diabetes, murine, chemokines in wound healing, 245
Differential Expression of Connexins During Stratification of Human Keratinocytes, Wiszniewski L, Limat A, Saurat J-H, Meda P, Saloman D, 278
Differential Expression of Cytokine mRNA in Skin Specimens from Patients with Erythema Migrans or Acrodermatitis Chronica Atrophicans, Müllegger RR, McHugh G, Ruthazer R, Binder B, Kerl H, Steere AC, 1115
Differential Roles of Insulin Receptor and Insulin-Like Growth Factor-1 Receptor in Differentiation of Murine Skin Keratinocytes, Wertheimer E, Trebicz M, Eldar T, Gartsbein M, Nofeh-Moses S, Tennenbaum T, 24
2,4-Dinitro-1-fluorobenzene, 942
Dipyridamole-sensitive adenosine transport, 849
Distinct Effects of CD30 and Fas Signaling in Cutaneous Anaplastic Lymphomas: A Possible Mechanism for Disease Progression, Levi E, Wang Z, Petrogiannis-Haliotis T, Pfeifer WM, Kempf W, Drews R, Kadin ME, 1034
DNA damage, UV-induced
  in basal cell carcinoma patients, 95
  mitochondrial, 674
  protection by UVA and UVB sunscreens, 37
  role of melanocytes in protection, 193
DNA polymerase mutations, in xeroderma pigmentosum variant, 981
DNA repair
  in basal cell carcinoma patients, 95
  in xeroderma pigmentosum, 974
  in xeroderma pigmentosum variant, 981
Dogs, inherited dystrophic epidermolysis bullosa, 135
Dopachrome tautomerase gene *see Tyrosinase-related protein-2/dopachrome tautomerase* gene
Downregulation of Tyrosinase Activity in Human Melanocyte Cell Cultures by Yohimbine, *Letter*, Schallreuter KU, Wood JM, 130
Drug allergy, function of T cells, 647
Dysregulated Activation of Activator Protein 1 in Keratinocytes of Atopic Dermatitis Patients with Enhanced Expression of Granulocyte/Macrophage-Colony Stimulating Factor, Pastore S, Giustizieri ML, Mascia F, Giannetti A, Kaushansky K, Girolomoni G, 1134

E

E-cadherin, *Barx2* expression and, 753
Ectodermal dysplasia
  gene on 17q21, 694
  and skin fragility syndrome, plakophilin 1 mutation, 368

X-linked anhidrotic, 329
EDA1 mutation, 329
The Effect of Occlusion on Epidermal Penetration of Parabens from a Commercial Allergy Test Ointment, Acetone and Ethanol Vehicles, Cross SE, Roberts MS, 914
Elastin
function in keratinocytes, 633
receptor, 67 kDa, 633
Elastin Peptides Induce Migration and Terminal Differentiation of Cultured Keratinocytes Via 67 kDa Elastin Receptor *in Vitro*: 67 kDa Elastin Receptor is Expressed in the Keratinocytes Eliminating Elastic Materials in Elastosis Perforans Serpiginosa, Fujimoto N, Tajima S, Ishibashi A, 633
Elastosis perforans serpiginosa, 633
Elderly, skin tactile properties and hydration, 454
Elimination of $CD4^+$ T Cells Enhances Anti-Tumor Effect of Locally Secreted Interleukin-12 on B16 Mouse Melanoma and Induces Vitiligo-Like Coat Color Alteration, Nagai H, Hara I, Horikawa T, Oka M, Kamidono S, Ichihashi M, 1059
Endogenous Skin Fluorescence is a Good Marker for Objective Evaluation of Comedolysis, González S, Zonios G, Nguyen BC, Gillies R, Kollias N, 100
Endothelial cells
human dermal, basal-cell adhesion molecule, 1047
human dermal microvascular, POMC peptides, 1021
iron deprivation, 893
Thy-1 expression, 882
Envoplakin autoantibodies, in pemphigus foliaceus, 505
Envoplakin and Periplakin, the Paraneoplastic Pemphigus Antigens, are also Recognized by Pemphigus Foliaceus Autoantibodies, *Letter*, Kazerounian S, Mahoney MG, Uitto J, Aho S, 505
Epidermal hyperplasia, in amyotrophic lateral sclerosis, 486
Epidermis
conditional gene expression, 788
hyperproliferative, keratinocyte differentiation, 361
keratin 6a expression, 795
leucine-zipper protein kinase, 860
penetration of parabens, 914
peptidylarginine deiminase type III, 813
peroxiredoxin expression, 1108
reconstructed with/without melanocytes, 193
Epidermoid carcinoma A431 cells, human, photodynamic therapy, 1041
Epidermolysis bullosa
dystrophic, in inbred dogs, 135
generalized atrophic benign (GABEB), LAMB3 mutations, 312
Herlitz junctional
LAMB3 gene mutations, 493
paternal uniparental disomy, 307
junctional, collagen XVII mutation, 207
Epidermolytic hyperkeratosis, mouse model, 708
Epitope mapping, desmoglein 3, in pemphigus vulgaris, 829
Epitopes Targeted by Bullous Pemphigoid T Lymphocytes and Autoantibodies Map to the Same Sites on the Bullous Pemphigoid 180 Ectodomain, Lin M-S, Fu C-L, Giudice GJ, Olague-Marchan M, Lazaro AM, Stastny P, Diaz LA, 955
Erythema migrans, cytokine mRNA expression, 1115
Erythema nodosum leprosum, anti-inflammatory drugs, 935
Erythrokeratoderma, progressive symmetric, 1088
Erythromelalgia, microvascular arteriovenous shunting, 1169
Erythroplasia of Queyrat, 124
Erythroplasia of Queyrat: Coinfection with Cutaneous Carcinogenic Human Papillomavirus Type 8 and Genital Papillomaviruses in a Carcinoma *In Situ*, Wieland U, Jurk S, Weißenborn S, Krieg T, Pfister H, Ritzkowsky A, 396
Ethanol, in allergy testing systems, 914
European Society for Dermatological Research (ESDR), 2000, *Abstracts*, 527, 1172
Evidence for the Existence of a Self-Regulated Enzymatic Process Within the Human Stratum Corneum – An Unexpected role for Urocanic Acid, Krien PM, Kermici M, 414
Evidence for Involvement of the Epidermal Platelet-Activating Factor Receptor in Ultraviolet-B-Radiation-Induced Interleukin-8 Production, Countryman NB, Pei Y, Yi Q, Spandau DF, Travers JB, 267
Expression of the Actin-Bundling Protein Fascin in Cultured Human Dendritic Cells Correlates with Dendritic Morphology and Cell Differentiation, Ross R, Jonuleit H, Bros M, Ross X-L, Yamashiro S, Matsumura F, Enk AH, Knop J, Reske-Kunz AB, 658
Expression of the Circadian Clock Genes *clock* and *period1* in Human Skin, Zanello SB, Jackson DM, Holick MF, 757
Expression of Cutaneous Lymphocyte-Associated Antigen Regulated by a Set of Glycosyltransferases in Human T Cells: Involvement of α1,3-Fucosyltransferase VII and β1,4-Galactosyltransferase I, Nakayama F, Teraki Y, Kudo T, Togayachi A, Iwasaki H, Tamatani T, Nishihara S, Mizukawa Y, Shiohara T, Narimatsu H, 299
Expression of Cytokeratins and Cornified Envelope-Associated Proteins in Umbilical Cord Epithelium: a Comparative Study of the Umbilical Cord, Amniotic Epithelia and Fetal Skin, *Letter*, Mizoguchi M, Ikeda S, Suga Y, Ogawa H,, 133
Expression of Glycosaminoglycans and Small Proteoglycans in Wounds: Modulation by the Tripeptide–Copper Complex Glycyl-I -Histidyl-L-Lysine-Cu^{2+}, Siméon A, Wegrowski Y, Bontemps Y, Maquart F-X, 962
Expression of the Homeobox Gene, *Barx2*, in Wool Follicle Development, Sander G, Bawden S, Hynd PI, Nesci A, Rogers G, Powell BC, 753
Expression Patterns of Placenta Growth Factor in Human Melanocytic Cell Lines, Graeven U, Rodeck U, Karpinski S, Jost M, Andre N, Schmiegel W, 118
Expression of Proopiomelanocortin Peptides in Human Dermal Microvascular Endothelial Cells: Evidence for a Regulation by Uitraviolet Light and Interleukin-1, Scholzen TE, Kalden D-H, Brzoska T, Fastrich M, Schwarz T, Armstrong CA, Ansel JC, Luger TA, 1021
Expression and Proteolysis of Vascular Endothelial Growth Factor is Increased in Chronic Wounds, Lauer G, Sollberg S, Cole M, Flamme I, Stürzebecher J, Mann K, Krieg T, Eming SA, 12
The Extracellular Domain of BPAG2 has a Loop Structure in the Carboxy Terminal Flexible Tail *In Vivo*, Nonaka S, Ishiko A, Masunaga T, Akiyama M, Owaribe K, Shimizu H, Nishikawa T, 889
Extracellular matrix, in chronic wounds, 225
Extracorporeal photoimmunotherapy, 499

F

FADD, in photodynamic therapy-induced apoptosis, 1041
Fair-skinned individuals, protective role of melanocytes, 193
Familial Melanoma Aggregation in North-Eastern Italy, *Letter*, Calista D, Goldstein AM, Landi MT, 764
Fas (CD95/Apo-1)
gene transfer into melanoma cells, 1008
independence, $CD4^+$ CTL clone, 74
in photodynamic therapy-induced apoptosis, 1041
retinoic acid immunosuppressive activity and, 154
signaling
in cutaneous anaplastic lymphoma, 1034
cutaneous functions, 141
Fascin, in dendritic cells, 658
Fas ligand (CD95 ligand)
in melanoma cells, 1008
retinoic acid immunosuppressive activity and, 154
Ferritin H, induction by PUVA, 909
Fetal skin
cytokeratins and cornified cell envelope-associated proteins, 133
vernix caseosa, 875
Fibroblast growth factor 2 (FGF 2), cell growth and, 286
Fibroblasts
chronic wound, 225
circadian clock gene expression, 757
effects of phenols and sodium dodecyl sulfate, 292
genes induced by PUVA, 909
keloid, resistance to ceramide-induced apoptosis, 1065
production of monoclonal antibodies, 740
retinoic acid actions, 154
Thy-1 expression, 882
UVB and UVA-induced chromosomal aberrations, 435
Filaggrin
deficiency, in flaky tail mouse, 1072
peptidylarginine deiminase type III and, 813
FK-506, 986
Flaky tail (*ft/ft*) mouse, 1072
FLICE, in photodynamic therapy-induced apoptosis, 1041
Fluorescence, endogenous
comedones in rhino mouse, 100
human skin, 704

Fluorescence Excitation Spectroscopy Provides Information About Human Skin *In Vivo*, Gillies R, Zonios G, Anderson RR, Kollias N, 704
Fluorescence *in situ* hybridization, multiplex, human skin carcinoma, 1095
Formation and Kinetics of MHC Class I-Ovalbumin Peptide Complexes on Immature and Mature Murine Dendritic Cells, Kukutsch NA, Roβner S, Austyn JM, Schuler G, Lutz MB, 449
c-Fos, in atopic dermatitis keratinocytes, 1134
Fragile histidine triad gene, 1095
fi/fi (flaky tail) mouse, 1072
α1,3-Fucosyltransferase VII, regulation of CLA expression, 299
Functional Inhibitory Receptors Expressed by a Cutaneous T Cell Lymphoma-Specific Cytolytic Clonal T Cell Population, Bagot M, Martinvallet D, Echchakir H, Chabanette-Schirm F, Boumsell L, Bensussan A, 994

G

β1,4-Galactosyltransferase I, regulation of CLA, 299
Gap junctions, during keratinocyte differentiation, 278
Gas chromotography-mass spectrometry assay, hydroxyeicosatetraenoic acids, 499
The Gene for Naegeli–Franceschetti–Jadassohn Syndrome Maps to 17q21, Whittock NV, Coleman CM, McLean WHI, Ashton GHS, Acland KM, Eady RAJ, McGrath JA, 694
Gene therapy
  in inherited dystrophic epidermolysis bullosa in dogs, 135
  melanoma, 1059, 1082
  skin fibroblasts for, 740
Genetic Characterization of a Human Skin Carcinoma Progression Model: from Primary Tumor to Metastasis, Popp S, Waltering S, Holtgreve-Grez H, Jauch A, Proby C, Leigh IM, Boukamp P, 1095
Genetic Modeling of Abnormal Photosensitivity in Families with Polymorphic Light Eruption and Actinic Prurigo, McGregor JM, Grabczynska S, Vaughan R, Hawk JLM, Lewis CM, 471
Genetic mosaicism, for *ATP2A2* mutations causing segmental Darier's disease, 1144
Genetics
  atopic dermatitis, 906
  celiac disease and dermatitis herpetiformis, 990
  photodermatoses, 467, 471
  progression of human skin carcinoma, 1095
Gene transfer, CD95 into melanoma cells, 1008
Genomic Amplification of the Human *Plakophilin 1* Gene and Detection of a New Mutation in Ectodermal Dysplasia/Skin Fragility Syndrome, Whittock NV, Haftek M, Angoulvant N, Wolf F, Perrot H, Eady RAJ, McGrath JA, 368
GLI1 oncogene, polymorphic variants, 328
Glucocorticoids Augment the Chemically Induced Production and Gene Expression of Interleukin-1α through NF-κB and AP-1 Activation in Murine Epidermal Cells, Miyazaki Y, Yokozeki H, Awad S, Igawa K, Minatohara K, Satoh T, Katayama I, Nishioka K, 746
Glucose transport system, in keratinocytes, 949
Gluten sensitivity, and dermatitis herpetiformis in monozygous twins, 990
Glycosaminoglycans, in wound healing, 962
Glycosyltransferases, regulation of CLA expression, 299
Glycyl-L-histidyl-L-lysine-Cu^{2+}, in wound healing, 962
Graft *versus* host disease, acute, Fas signaling, 141
Granulocyte/macrophage-colony stimulating factor, in atopic dermatitis, 1134
Greek patients, basal cell carcinoma, 719

H

Hair
  growth cycle, rat vibrissa follicles, 1152
  loss, human hair follicles grafted onto SCID mice, 200
Hair follicles
  conditional gene expression, 788
  human scalp, grafts onto SCID mice, 200
  keratin 6a expression, 795
  leucine-zipper protein kinase, 860
  μ-crystallin expression, 402
  ovine, *Barx2* in developing, 753
  peptidylarginine deiminase type III, 813
  peroxiredoxin expression, 1108
  rat vibrissa, *in vitro*, 1152
Hairless
  gene mutations, human, 761
  mouse, PPARα activators, 361
Hapten-Specific Tolerance Promoted by Calcitonin Gene-Related Peptide, Kitazawa T, Streilein JW, 942
Harlequin ichthyosis, corneocyte lipid envelope, 765
Heart transplant recipients, nonmelanoma skin cancer, 1159
Heat shock protein 27 (HSP27), UVB-mediated phosphorylation, 427
Hemizygosity for a Glycine Substitution in Collagen XVII: Unfolding and Degradation of the Ectodomain, Tasanen K, Floeth M, Schumann H, Bruckner-Tuderman L, 207
Hemochromatosis mutations, 868
The Heritability of Polymorphic Light Eruption, Millard TP, Bataille V, Snieder H, Spector TD, McGregor JM, 467
Herlitz Junctional Epidermolysis Bullosa: Novel and Recurrent Mutations in the LAMB3 Gene and the Population Carrier Frequency, Nakano A, Pfendner E, Pulkkinen L, Hashimoto I, Uitto J, 493
Herpes labialis, laser therapy, 131
High Dermal Mast Cell Prevalence is a Predisposing Factor for Basal Cell Carcinoma in Humans, Grimbaldeston MA, Skov L, Baadsgaard O, Skov BG, Marshman G, Finlay-Jones JJ, Hart PH, 317
High-Expression of Sphingomyelin Deacylase is an Important Determinant of Ceramide Deficiency Leading to Barrier Disruption in Atopic Dermatitis, Hara J, Higuchi K, Okamoto R, Kawashima M, Imokawa G, 406
High Frequency of Loss of Heterozygosity on Chromosome Region 9p21-p22 but Lack of $p16^{INK4a}/p19^{ARF}$ Mutations in Greek Patients with Basal Cell Carcinoma of the Skin, Saridaki Z, Koumantaki E, Liloglou T, Sourvinos G, Papadopoulos O, Zoras O, Spandidos DA, 719
High Incidence and Regression Rates of Solar Keratoses in a Queensland Community, Frost C, Williams G, Green A, 273
Histamine
  -induced itch, processing in cerebral cortex, 1029
  regulation in melanoma, 345
Histidine decarboxylase, expression in melanoma, 345
Histidine Decarboxylase Expression in Human Melanoma, Haak-Frendscho M, Darvas Z, Hegyesi H, Kárpáti S, Hoffman RL, László V, Bencsáth M, Szalai C, Fürész J, Timár J, Bata-Csörgö Z, Szabad G, Pivarcsi A, Pállinger É, Kemény L, Horváth A, Dobozy A, Falus A, 345
Histologic and Cell Kinetic Studies of Hair Loss and Subsequent Recovery Process of Human Scalp Hair Follicles Grafted onto Severe Combined Immunodeficient Mice, Hashimoto T, Kazama T, Ito M, Urano K, Katakai Y, Yamaguchi N, Ueyama Y, 200
HLA-Cw*0602, psoriasis association, 824
HLA-DR
  induction in vitiligo, 969
  Langerhans cell, effects of magnesium ions, 680
Homeobox gene, in wool follicle development, 753
Human Melanocytes and Melanomas Express Novel mRNA Isoforms of the *Tyrosinase-Related Protein-2/DOPAchrome Tautomerase* Gene: Molecular and Functional Characterization, Pisarra P, Lupetti R, Palumbo A, Napolitano A, Prota G, Parmiani G, Anichini A, Sensi M, 48
Human Melanoma Cells Secrete and Respond to Placenta Growth Factor and Vascular Endothelial Growth Factor, Lacal PM, Failla CM, Pagani E, Odorisio T, Schietroma C, Falcinelli S, Zambruno G, D'Atri S, 1000
Human papillomavirus (HPV)
  DNA in basal cell carcinomas, 124
  type 8 (HPV8) and genital HPV coinfection, 396
Human Peptidylarginine Deiminase Type III: Molecular Cloning and Nucleotide Sequence of the cDNA, Properties of the Recombinant Enzyme, and Immunohistochemical Localization in Human Skin, Kanno T, Kawada A, Yamanouchi J, Yosida-Noro C, Yoshiki A, Shiraiwa M, Kusakabe M, Manabe M, Tezuka T, Takahara H, 813
Human skin
  allergy testing systems, 914
  basal-cell adhesion molecule, 1047
  BP180 structure, 889
  carotenoids, 441
  caspase-14, 1148
  circadian clock gene expression, 757
  dephosphorylation of retinoblastoma protein, 88
  fluorescence excitation spectroscopy, 704
  itch, central processing, 1029
  leucine-zipper protein kinase, 860
  MAP kinases in aged, 177
  mitochondrial DNA deletions in UV-exposed, 674

peptidylarginine deiminase type III, 813
pH, urocanic acid and, 414
protection by UVA and UVB sunscreens, 37
PUVA-induced aging, 909
substance P and calcitonin gene-related peptide, 1015
tactile properties and hydration in elderly, 454
T-cell receptor β-chain V repertoire, 66
Trichophyton rubrum-infected, 901
urocanic acid photoisomerization, 421
UVB and UVA-induced chromosomal aberrations, 435
Hyaluronate, in lichen sclerosus et atrophicus, 1054
Hydration, skin
in keratin 10 deficient mice, 708
and tactile properties in elderly, 454
Hydroxyeicosatetraenoic acids, 499
A Hyperosmotic Stimulus Elevates Intracellular Calcium and Inhibits Proliferation of a Human Keratinocyte Cell Line, Dascalu A, Matithyou A, Oron Y, Korenstein R, 714

I

Ichthyosis
harlequin, corneocyte lipid envelope, 765
lamellar, transglutaminase 1 Sp1 site, 113
vulgaris, animal model, 1072
Identification of Polymorphic Variants of the *GLI1* Oncogene, *Letter*, Wang X-Q, Chan N, Rothnagel JA, 328
IgA Antibodies of Linear IgA Bullous Dermatosis Recognize the 15th Collagenous Domain of BP180, *Letter*, Nie Z, Nagata Y, Joubeh S, Hirako Y, Owaribe K, Kitajima Y, Hashimoto T, 1166
IgG Anti-Melanocyte Antibodies Purified from Patients with Active Vitiligo Induce HLA-DR and Intercellular Adhesion Molecule-1 Expression and an Increase in Interleukin-8 Release by Melanocytes, Li Y-L, Yu, C-L, Yu H-S, 969
Iκ-α-/-, RAG-/- chimera mice, 1124
Impaired Cutaneous Permeability Barrier Function, Skin Hydration and Sphingomyelinase Activity in Keratin 10 Deficient Mice, Jensen J-M, Schütze S, Neumann C, Proksch E, 708
Increased Risk of Secondary Cancers in Patients with Primary Cutaneous T Cell Lymphoma, Väkevä L, Pukkala E, Ranki A, 62
Inflammation
CD146 expression and, 219
in leprosy, 935
neurogenic, in human skin, 1015
POMC peptides and, 1021
Inherited Dystrophic Epidermolysis Bullosa in Inbred Dogs: A Spontaneous Animal Model for Somatic Gene Therapy, *Letter*, Palazzi X, Marchal T, Chabanne L, Spadafora A, Magnol J-P, Meneguzzi G, 135
Inhibition of Growth of Melanoma Cells by CD95 (Fas/Apo-1) Gene Transfer *In Vivo*, Aragane Y, Maeda A, Cui C-Y, Tezuka T, Kaneda Y, Schwarz T, 1008
Inhibition of Melanosome Transfer Results in Skin Lightening, Seiberg M, Paine C, Sharlow E, Andrade-Gordon P, Costanzo M, Eisinger M, Shapiro SS, 162
Inhibitory receptors, cytolytic T cells, 994
Initiator element, melanoma cell adhesion molecule gene, 668
Innate immunity, in chemical-induced contact dermatitis, 168
Insulin
glucose transport and, 949
receptor, in murine skin keratinocytes, 24
Insulin-like growth factor-I (IGF-I)
glucose transport and, 949
receptors, 24, 1065
Integrin $\alpha_v\beta_3$, in melanoma progression, 625
Intercellular adhesion molecule-1 (ICAM-1)
suppression by anti-sense oligonucleotides, 805
in vitiligo, 969
Intercellular Adhesion Molecule-1 Suppression in Skin by Topical Delivery of Anti-Sense Oligonucleotides, Mehta RC, Stecker KK, Cooper SR, Templin MV, Tsai YJ, Condon TP, Bennett CF, Hardee GE, 805
Interferon-γ
keratinocyte activation, IL-17 and, 81
in leprosy, 935
in Lyme borreliosis, 1115
Interleukin-1 (IL-1)
phenol and sodium dodecyl sulfate induced release, 292
POMC peptide expression and, 1021
Interleukin-1α
glucocorticoid-mediated production, 746
induction of TNF-α promoter, 726
Interleukin-4 (IL-4)
CLA expression and, 299
keratinocyte activation, IL-17 and, 81
Interleukin-6 (IL-6)
in bullous pemphigoid, 842
in leprosy, 935
xeroderma pigmentosum keratinocytes, 687
Interleukin-8 (IL-8)
in bullous pemphigoid, 842
phenol and sodium dodecyl sulfate induced release, 292
UVB-induced production, 267
in vitiligo, 969
Interleukin-10 (IL-10), in calcitonin gene-related peptide-induced tolerance, 942
Interleukin-12 (IL-12)
CLA expression and, 299
in leprosy, 935
transfected B16 mouse melanoma, 1059
Interleukin-17 (IL-17), modulation of keratinocyte activation, 81
Interleukin-17 is Produced by Both Th1 and Th2 Lymphocytes, and Modulates Interferon-γ- and Interleukin-4-Induced Activation of Human Keratinocytes, Albanesi C, Scarponi C, Cavani A, Federici M, Nasorri F, Girolomoni G, 81
Intracutaneous Genetic Immunization with Autologous Melanoma-Associated Antigen Pmel17/gp100 Induces T Cell-Mediated Tumor Protection *In Vivo*, Wagner SN, Wagner C, Lührs P, Weimann TK, Kutil R, Goos M, Stingl G, Schneeberger A, 1082
Involucrin
hyperosmotic stimuli and, 714
PPARα-induced expression, 353, 361
Involvement of Fas (APO-1/CD-95) during Photodynamic-Therapy-Mediated Apoptosis in Human Epidermoid Carcinoma A431 Cells, Ahmad N, Gupta S, Feyes DK, Mukhtar H, 1041
Iron, deprivation, in Kaposi's sarcoma, 893
Iron Chelators Inhibit the Growth and Induce the Apoptosis of Kaposi's Sarcoma Cells and of their Putative Endothelial Precursors, Simonart T, Degraef C, Andrei G, Mosselmans R, Hermans P, Van Vooren J-P, Noel J-C, Boelaert JR, Snoeck R, Heenen M, 893
Isolation and Identification of Psoralen plus Ultraviolet A (PUVA)-Induced Genes in Human Dermal Fibroblasts by Polymerase Chain Reaction-Based Subtractive Hybridization, Wlaschek M, Hommel C, Wenk J, Brenneisen P, Ma W, Herrmann G, Scharffetter-Kochanek K, 909
Israel, family with xeroderma pigmentosum, 974
Italy, north-eastern, familial melanoma, 764
Itch, processing in human cerebral cortex, 1029

J

Japan
congenital erythropoietic porphyria, 1156
psoriatic arthritis, 1163
X-linked anhidrotic ectodermal dysplasia, 329
c-Jun
in aged human skin, 177
in atopic dermatitis keratinocytes, 1134

K

Kaposi's sarcoma, iron deprivation, 893
Keloid fibroblasts, resistance to ceramide-induced apoptosis, 1065
Keloid Fibroblasts Resist Ceramide-Induced Apoptosis by Overexpression of Insulin-Like Growth Factor I Receptor, Ishihara H, Yoshimoto H, Fujioka M, Murakami R, Hirano A, Fujii T, Ohtsuru A, Namba H, Yamashita S, 1065
Keratin
5 promoter, 788
6a, transgenic mice, 795
10 deficient mice, 708
19, grafted scalp hair follicles, 200

type I gene cluster, 694
in umbilical cord epithelium, 133
Keratinocyte Differentiation in Hyperproliferative Epidermis: Topical Application of PPARα Activators Restores Tissue Homeostasis, Kömüves LG, Hanley K, Man M-Q, Elias PM, Williams ML, Feingold KR, 361
Keratinocytes
atopic dermatitis, 1134
basal-cell adhesion molecule, 1047
carboxyfullerenes, 835
caspase-14 and terminal differentiation, 1148
CD146 expression, 219
circadian clock gene expression, 757
connexin expression, 278
corneocyte lipid envelope, 765
death receptors, 141
dephosphorylation of retinoblastoma protein, 88
dipyridamole-sensitive adenosine transport, 849
effects of phenols and sodium dodecyl sulfate, 292
function of elastin, 633
glucocorticoid actions, 746
glucose transport system, 949
HSP27 phosphorylation, 427
hyperosmotic stimulation, 714
in hyperproliferative epidermis, 361
IL-17-modulated activation, 81
insulin and IGF-1 receptors, 24
in lamellar ichthyosis, 113
leucine-zipper protein kinase function, 860
lichen sclerosus et atrophicus, 1054
in loricrin keratoderma, 1088
melanosome transfer, 162
multidrug resistant pumps in neonatal murine, 19
nitric oxide actions, 731
pKe#192/MAP17, 375
placenta growth factor, 388
PPARα promotes differentiation, 353
psoriatic, 213, 771
RAG2-/-, Iκ-α-/- chimeric mice, 1124
S100A2, 477
stromelysin 2 in wounds, 778
TARC production, 640
UVA-induced VEGF gene expression, 30
xeroderma pigmentosum, 687
Keratinocytes Express the CD146 (Muc18/S-Endo) Antigen in Tissue Culture and During Inflammatory Skin Diseases, Weninger W, Rendl M, Mildner M, Mayer C, Ban J, Geusau A, Bayer G, Tanew A, Majdic O, Tschachler E, 219
Keratoderma, loricrin, 1088

L

Lack of Association Between Promoter Polymorphism of the Tumor Necrosis Factor-α Gene and Psoriatic Arthritis in Japanese Patients, *Letter*, Hamamoto Y, Tateno H, Ishida T, Muto M, 1163
LAMB3 gene mutations/deletions, 312, 493
LAMC2 gene mutation, 307
Lamina densa, BP180 structure, 889
Laminin
5 mutations, 307, 312, 493
receptor, 1047
Langerhans cells, effects of magnesium ions, 680
Large and Sustained Induction of Chemokines during Impaired Wound Healing in the Genetically Diabetic Mouse: Prolonged Persistence of Neutrophils and Macrophages during the Late Phase of Repair, Wetzler C, Kämpfer H, Stallmeyer B, Pfeilschifter J, Frank S, 245
Laser therapy, herpes labialis, 131
Leg ulcers
defective extracellular matrix reorganization, 225
VEGF expression and proteolysis, 12
Leprosy, anti-inflammatory drugs, 935
Leucine-zipper protein kinase, 860
Leukemia inhibitory factor, in amyotrophic lateral sclerosis, 486
Leukemia Inhibitory Factor Induces Epidermal Hyperplasia in Patients with Amyotrophic Lateral Sclerosis, Hu, J, Ono S, Katayama H, Imai T, Shimizu N, Nakagawa H, 486
Levels and Repair of Cyclobutane Pyrimidine Dimers and 6–4 Photoproducts in Skin of Sporadic Basal Cell Carcinoma Patients, Xu G, Snellman E, Jansen CT, Hemminki K, 95
Lichen planus, CD146 expression, 219
Lichen sclerosus et atrophicus
clonal T cells, 254
epidermal CD44 expression, 1054
A Ligand of Human Thy-1 is Localized on Polymorphonuclear Leukocytes and Monocytes and Mediates the Binding to Activated Thy-1-Positive Microvascular Endothelial Cells and Fibroblasts, Saalbach A, Haustein UF, Anderegg U, 882
Linear IgA bullous dermatosis, 1166
Loricrin
inhibition of cross-linking by nitric oxide, 731
keratoderma, 1088
PPARα-induced expression, 353, 361
Loss of heterozygosity
in basal cell carcinoma, 719
in human skin carcinoma progression, 1095
in primary cutaneous large cell lymphoma, 1104
Loss of Normal Profilaggrin and Filaggrin in Flaky Tail (*ft/ft*) Mice: an Animal Model for the Filaggrin-Deficient Skin Disease Ichthyosis Vulgaris, Presland RB, Boggess D, Lewis SP, Hull C, Fleckman P, Sundberg JP, 1072
Low Doses of UVB or UVA Induce Chromosomal Aberrations in Cultured Human Skin Cells, Emri G, Wenczl E, van Erp P, Jans J, Roza L, Horkay I, Schothorst AA, 435
Low-Intensity Laser Therapy for Recurrent Herpes Labialis, *Letter*, Rallis TM, Spruance SL, 131
Lung cancer, in cutaneous T cell lymphoma, 62
Lupus erythematosus, subacute cutaneous (SCLE), TNF-α polymorphism, 726
Lyme borreliosis, cytokine mRNA expression, 1115
Lymphoma
cutaneous anaplastic large cell, CD30 and Fas signaling, 1034
cutaneous T cell *see* Cutaneous T cell lymphoma
non-Hodgkin's, in cutaneous T cell lymphoma, 62
primary cutaneous CD30+ large cell, 1104
Lymphomatoid papulosis, CD30 signaling, 1034

M

Macrophages, in diabetic wound healing, 245
Magnesium ions, effects on Langerhans cells, 680
Magnesium Ions Inhibit the Antigen-Presenting Function of Human Epidermal Langerhans Cells *In Vivo* and *In Vitro*. Involvement of ATPase, HLA-DR, B7 Molecules, and Cytokines, Schempp CM, Dittmar HC, Hummler D, Simon-Haarhuis B, Schulte-Mönting J, Schöpf E, Simon JC, 680
MAP17/pKe#192, in human keratinocytes, 375
MAP kinases (MAPK)
in aged human skin, 177
in cutaneous anaplastic lymphoma, 1034
UVB-mediated HSP27 phosphorylation and, 427
Mast cells, dermal, basal cell carcinoma risk and, 317
Matrix metalloproteinase-2 (MMP-2)
in chronic wounds, 225
in melanoma progression, 625
in psoriasis, 771
Matrix metalloproteinase-9 (MMP-9), in psoriatic keratinocytes, 213
Matrix metalloproteinases
in melanoma, 337
see also Stromelysin-2
Matrix Metalloproteinases in Human Melanoma, Hofmann UB, Westphal JR, van Muijen GNP, Ruiter DJ, 337
Mechanisms other than Shunting are Likely Contributing to the Pathophysiology of Erythromelalgia, *Letter*, Davis MDP, Rooke TW, Sandroni P, 1169
Melanin production *see* Melanogenesis
The Melanocortin 5 Receptor is Expressed in Human Sebaceous Glands and Rat Preputial Cells, Thiboutot D, Sivarajah A, Gilliland K, Cong Z, Clawson G, 614
Melanocortin 5 receptors, 614
The Melanocortin Receptors, Cone RD, *Book Review*, 508
Melanocortins
neprilysin and UVB-induced degradation, 381
in sebum production, 614

Melanocytes
antibodies against, in vitiligo, 969
circadian clock gene expression, 757
neprilysin, 381
photoprotective role, 193
pink-eyed dilution (*p*) mutant, 607
placenta growth factor, 118
TGF-β1 and apoptosis, 286
tyrosinase-related protein-2 gene, 48, 106
underwhite (uw) locus function, 601
UVB and UVA-induced chromosomal aberrations, 435
yohimbine downregulation of tyrosinase, 130
α-Melanocyte-stimulating hormone, 381, 1021
Melanogenesis (melanin production)
phosphatidylinositol 3-kinase-Akt pathway, 699
regulation by UVB, 381
underwhite locus and, 601
Melanoma
$CD4^+$ T cell depletion, 1059
familial, in north-eastern Italy, 764
histidine decarboxylase expression, 345
integrin $\alpha_v\beta_3$ and MMP-2, 625
matrix metalloproteinases, 337
melanoma cell adhesion molecule and, 668
phosphatidylinositol 3-kinase-Akt pathway, 699
placenta growth factor, 118, 1000
Pmel17/gp100 antigen, 1082
regulation of MIA expression, 42
in *RFP-RET*-transgenic mice, 1157
TGF-β1 and apoptosis, 286
tyrosinase-related protein-2 mRNA isoforms, 48
vascular endothelial growth factor, 1000
Melanoma cell adhesion molecule, 668
Melanosomes
pH, role of *p* protein, 607
transfer, skin pigmentation and, 162
The Membrane-Associated Protein pKe#192/MAP17 in Human Keratinocytes, Jaeger C, Schaefer BM, Wallich R, Kramer MD, 375
Memory T cells, in atopic dermatitis, 1161
8-Methoxypsoralen, 499
MHC
class I-ovalbumin peptide complexes, 449
class II, in vitiligo, 969
MIA, regulation of expression, 42
Microanatomical Compartments of Clonal and Reactive T Cells in Mycosis Fungoides: Molecular Demonstration by Single Cell Polymerase Chain Reaction of T Cell Receptor Gene Rearrangements, Gellrich S, Lukowsky A, Schilling T, Rutz S, Muche JM, Jahn S, Audring H, Sterry W, 620
Microdialysis, substance P and calcitonin gene-related peptide, 1015
Mitochondrial DNA, in UV-exposed skin, 674
Mitogen-activated protein kinases *see* MAP kinases
The Mixed Lineage Kinase Leucine-Zipper Protein Kinase Exhibits a Differentiation-Associated Localization in Normal Human Skin and Induces Keratinocyte Differentiation upon Overexpression, Germain L, Fradette J, Robitaille H, Guignard G, Nadeau A, Blouin R, 860
Monoclonal antibodies, production by fibroblasts, 740
Monocytes, Thy-1 ligand expression, 882
Mortality, toxic epidermal necrolysis, 149
Mosaicism for *ATP2A2* Mutations Causes Segmental Darier's Disease, Sakuntabhai A, Dhitavat J, Burge S, Hovnanian A, 1144
Mouse
C3H/HeJ, anti-CD44v10-specific antibody, 653
chemical-induced contact dermatitis, 168
μ-crystallin in hair follicles, 402
CXCR2 knockout, delayed wound healing, 234
dendritic cells, 449
diabetic, chemokines in wound healing, 245
flaky tail (*ft/ft*) mouse, 1072
hairless, PPARα activators, 361
keratin 10 deficient, 708
keratinocytes
glucose transport, 949
insulin and IGF-1 receptors, 24
melanoma, gene therapy, 1059, 1082
model of ichthyosis vulgaris, 1072
neonatal epidermal cells, multidrug resistant pumps, 19
nude, CD95-transfected melanoma cells, 1008
pink-eyed dilution (*p*) mutation, 607
RAG2-/-, Iκ-α-/- chimera, 1124
rhino, fluorescence spectrometry of comedones, 100
SCID *see* SCID mouse
TGF-β1 knockout, delayed wound healing, 3
tolerance induction by calcitonin gene-related peptide, 942
transgenic *see* Transgenic mice
tumor antigen presentation by dermal cells, 57
underwhite (uw) locus, 601
MUC18 (CD146), expression in keratinocytes, 219
Multidrug resistant pumps, in neonatal murine epidermal cells, 19
Mutant Loricrin is Not Crosslinked into the Cornified Cell Envelope but is Translocated into the Nucleus in Loricrin Keratoderma, Ishida-Yamamoto A, Kato H, Kiyama H, Armstrong DKB, Munro CS, Eady RAJ, Nakamura S, Kinouchi M, Takahashi H, Iizuka H, 1088
Mutations
ATP2A2, 1144
COL17A1, 207
in congenital erythropoietic porphyria, 1156
DNA polymerase, 981
EDA1, 329
human hairless gene, 761
laminin 5, 307, 312, 493
$p16^{INK4a}/p19^{ARF}$, 719
plakophilin 1, 368
in porphyria cutanea tarda, 868
XPC gene, 974
Mycosis fungoides
localization of clonal and reactive T cells, 620
secondary cancer risk, 62
T cell clonality, 504
Mycotoxin, *Trichophyton rubrum*-derived, 901

N

Naegeli–Franceschetti–Jadassohn syndrome, 694
Nail
dysplasia, isolated congenital (ICND), 664
Trichophyton rubrum infection, 901
Natural killer cells, in atopic dermatitis, 1161
Natural killer receptor-bearing memory T cells, in atopic dermatitis, 1161
Neonatal Murine Epidermal Cells Express a Functional Multidrug-Resistant Pump, Sleeman MA, Watson JD, Murison JG, 19
Neprilysin, 381
Neprilysin, a Novel Target for Ultraviolet B Regulation of Melanogenesis Via Melanocortins, Aberdam E, Auberger P, Ortonne J-P, Ballotti R, 381
Neuropeptides, acute effects in human skin, 1015
Neuropilin-1, in melanocytic cells, 118
Neutral endopeptidase, neprilysin, 381
Neutrophils (polymorphonuclear leukocytes)
in diabetic wound healing, 245
effects of cyclosporin A and FK-506, 986
Thy-1 ligand expression, 882
Nevi
acantholytic dyskeratotic, 1144
TGF-β1 and apoptosis, 286
NF-κB
activation by glucocorticoids, 746
in atopic dermatitis keratinocytes, 1134
in cutaneous anaplastic lymphoma, 1034
in psoriasiform dermatitis in mice, 1124
Nieman–Pick disease, 459
Nitric Oxide Inhibits Cornified Envelope Formation in Human Keratinocytes by Inactivating Transglutaminases and Activating Protein 1, Rossi A, Catani MV, Candi E, Bernassola F, Puddu P, Melino G, 731
Nitric oxide (NO), inhibition of cornified envelope formation, 731
No Modulation of Circulating Natural Killer Cell and Natural Killer Receptor Bearing Memory T Cell Subsets in Patients with Atopic Dermatitis, *Letter*, Bouloc A, Charue D, Nikolova M, Bensussan A, 1161
Non-Invasive Raman Spectroscopic Detection of Carotenoids in Human Skin, Hata TR, Scholz TA, Ermakov IV, McClane RW, Khachik F, Gellermann W, Pershing LK, 441
A Novel Arginine‡Serine Mutation in *EDA1* in a Japanese Family with X-Linked Anhidrotic Ectodermal Dysplasia, *Letter*, Aoki N, Ito K, Tachibana T, Ito M, 329

Nuclear factor-κB *see* NF-κB
Nucleolus, localization of mutant loricrin, 1088

O

Occlusion, allergy testing and, 914
Octamer transcription factor-3 (OTF3) gene polymorphism, 824
Oculocutaneous albinism, 607
Ointment, allergy testing, 914
Origin of the Corneocyte Lipid Envelope (CLE): Observations in Harlequin Ichthyosis and Cultured Human Keratinocytes, Elias PM, Fartasch M, Crumrine D, Behne M, Uchida Y, Holleran WM, 765
Osmotic stress, keratinocytes, 714
The OTF3 Gene Polymorphism Confers Susceptibility to Psoriasis Independent of the Association of HLA-Cw*0602, Gonzalez S, Martinez-Borra J, Sanchez del Río J, Santos-Juanes J, Lopez-Vazquez A, Blanco-Gelaz M, López-Larrea C, 824
Ovalbumin peptides, MHC class I complexes, 449
Oxazolone, 168
Oxidative stress
  in aging of human skin, 177
  carboxyfullerenes and, 835
  S100A2 cross-linking, 477
  UVB-mediated phosphorylation of HSP27 and, 427

P

p16, in primary cutaneous large cell lymphoma, 1104
p16^{INK4a}/*p19*^{ARF} mutations, 719
p21$^{waf1/cip1}$, induction by PUVA, 909
p34 cyclin-dependent kinase 4, in iron-deprived Kaposi's sarcoma, 893
p53
  in human skin carcinoma progression, 1095
  in primary cutaneous large cell lymphoma, 1104
Papillomavirus DNA in Basal Cell Carcinomas of Immunocompetent Patients: an Accidental Association? Wieland U, Ritzkowsky A, Stoltidis M, Weissenborn S, Stark S, Ploner M, Majewski S, Jablonska S, Pfister HJ, Fuchs PG, 124
Parabens, epidermal penetration, 914
Paraneoplastic pemphigus, 505
Patch tests, resin acids in "oakmoss", 129
Pemphigus
  foliaceus, envoplakin and periplakin autoantibodies, 505
  paraneoplastic, 505
  vulgaris, desmoglein 3 epitope mapping, 829
Penile carcinoma *in situ*, 124
Pentoxifylline, in reactional leprosy, 935
Peptide Immunization Indicates that CD8$^+$ T Cells are the Dominant Effector Cells in Trinitrophenyl-Specific Contact Hypersensitivity, Martin S, Lappin MB, Kohler J, Delattre V, Leicht C, Preckel T, Simon JC, Weltzien HU, 260
Peptidylarginine deiminase type III, human, 813
Period1 gene, in human skin, 757
Peripheral Blood T Cell Clonality in Mycosis Fungoides – An Independent Prognostic Marker? *Letter*, Muche JM, Lukowsky A, Ahnhudt C, Gellrich S, Sterry W, 504
Periplakin autoantibodies, in pemphigus foliaceus, 505
Permeability Barrier Disorder in Niemann–Pick Disease: Sphingomyelin–Ceramide Processing Required for Normal Barrier Homeostasis, Schmuth M, Man M-Q, Weber F, Gao W, Feingold KR, Fritsch P, Elias PM, Holleran WM, 459
Peroxiredoxin is Ubiquitously Expressed in Rat Skin: Isotype-Specific Expression in the Epidermis and Hair Follicle, Lee S-C, Chae HZ, Lee JE, Kwon BD, Lee J-B, Won Y-H, Ahn KY, Kim YP, 1108
Peroxiredoxins, in rat skin, 1108
Peroxisome-proliferator-activated receptor-α (PPARα), 353
P-glycoproteins, in neonatal murine epidermal cells, 19
pH
  human skin, urocanic acid and, 414
  melanosomal, role of *p* protein, 607
Phenols, cytotoxicity and induction of cytokine release, 292
Phosphatidylinositol 3-kinase-Akt pathway, in melanogenesis, 699
Phosphoramidon, 381
Photodamage *see* DNA damage, UV-induced
Photodermatoses, heritability, 467, 471
Photodynamic therapy
  human epidermoid carcinoma A431 cells, 1041
  with topical aminolevulinic acid, for acne, 183
Photoimmunotherapy, extracorporeal, 499
Photoproducts, in basal cell carcinoma patients, 95
Photoregulation, TNF-α in subacute cutaneous lupus erythematosus, 726
Pink-eyed dilution (*p*) mutation, 607
pKe#192/MAP17, in human keratinocytes, 375
Placenta growth factor
  in keratinocytes during wound healing, 388
  in melanocytic cells, 118
  in melanoma, 118, 1000
Placenta Growth Factor is Induced in Human Keratinocytes during Wound Healing, Failla CM, Odorisio T, Cianfarani F, Schietroma C, Puddu P, Zambruno G, 388
Plakophilin 1, new mutation, 368
Platelet-activating factor (PAF), in UVB-induced IL-8 production, 267
Pmel17/gp100, intracutaneous genetic immunization with, 1082
Polymerase chain reaction (PCR)
  clonal T cells, 254
  long, mitochrondrial DNA deletions, 674
  single cell, in mycosis fungoides, 620
  subtractive hybridization, PUVA-induced genes, 909
Polymorphic light eruption, heritability, 467, 471
Polymorphonuclear leukocytes *see* Neutrophils
Porphyria
  congenital erythropoietic, 1156
  cutanea tarda, 868
Positron emission tomography, in itch, 1029
p protein, melanosomal pH and, 607
Preputial glands, rat, melanocortin 5 receptors, 614
Presence of Resin Acids in "Oakmoss" Patch Test Material: A Source of Misdiagnosis? *Letter*, Lepoittevin J-P, Meschkat E, Huygens S, Goossens A, 129
Preterm infants, barrier creams for, 875
Processing of Histamine-Induced Itch in the Human Cerebral Cortex: A Correlation Analysis with Dermal Reactions, Darsow U, Drzezga A, Frisch M, Munz F, Weilke F, Bartenstein P, Schwaiger M, Ring J, 1029
Profilaggrin-filaggrin
  deficiency, in flaky tail mouse, 1072
PPARα-induced expression, 353, 361
Prognostic scoring, toxic epidermal necrolysis, 149
Programmed cell death *see* Apoptosis
Prohormone convertase, in endothelial cells, 1021
Proopiomelanocortin (POMC) peptides, in endothelial cells, 1021
A Prospective Study of Incident Nonmelanoma Skin Cancer in Heart Transplant Recipients, *Letter*, España A, Martínez-González MA, García-Granero M, Sánchez-Carpintero I, Rábago G, Herreros J, 1159
Protease-activated receptor 2 (PAR-2), 162
Protection by Ultraviolet A and B Sunscreens Against *In Situ* Dipyramide Photolesions in Human Epidermis is Comparable to Protection Against Sunburn, Young AR, Sheehan JM, Chadwick CA, Potten CS, 37
Protein extravasation, substance P and calcitonin gene-related peptide, 1015
Protein phosphatase type 1, 88
Protein Phosphatase Type 1-Dependent Dephosphorylation of the Retinoblastoma Tumor Suppressor Protein in Ultraviolet-Irradiated Human Skin and Keratinocytes, Edwards MJ, Thomas RC, 88
Proteoglycans, in wound healing, 962
Pruritus, processing in human cerebral cortex, 1029
Psoralen plus UVA (PUVA), fibroblast genes induced by, 909
Psoriasis
  anti-sense therapy, 805
  basement membrane alterations, 771
  CD146 expression, 219
  fluorescence excitation spectroscopy, 704
  -like disease, in RAG-/-, Iκ-α-/- chimeric mice, 1124
  matrix metalloproteinase 9 in keratinocytes, 213
  role of immune system, 1171
  susceptibility genes, 824
Psoriatic arthritis, TNF-α promoter polymorphism and, 1163

R

RAG2-/-, Iκ-α-/- Chimeras Display a Psoriasiform Skin Disease, Chen C-L, Yull FE, Cardwell N, Singh N, Strayhorn WD, Nanney LB, Kerr LD, 1124

RAG2-/-, Iκ-α-/- chimeric mice, 1124
Raman spectroscopy, carotenoids in human skin, 441
Ras genes, in human skin carcinoma, 1095
Rat
  peroxiredoxin expression in skin, 1108
  preputial glands, melanocortin 5 receptors, 614
  vibrissa follicles *in vitro*, 1152
  wound healing, 962
Recent Advances in Psoriasis. The Role of the Immune System, Baker B, *Book Review*, 1171
Regulation of Melanogenesis through Phosphatidylinositol 3-Kinase-Akt Pathway in Human G361 Melanoma Cells, Oka M, Nagai H, Ando H, Fukunaga M, Matsumura M, Araki K, Ogawa W, Miki T, Sakaue M, Tsukamoto K, Konishi H, Kikkawa U, Ichihashi M, 699
Relationship Between Cell-Associated Matrix Metalloproteinase 9 and Psoriatic Keratinocyte Growth, Buisson-Legendre N, Emonard H, Bernard P, Hornebeck W, 213
Replicative DNA synthesis, in xeroderma pigmentosum variant, 981
Resin acids, in "oakmoss" patch test materials, 129
Retinoblastoma protein (pRB), dephosphorylation, 88
Retinoic acid
  Fas ligand upregulation, 154
  receptors, 13-*cis*-retinoic acid binding, 321
  all-*trans*-Retinoic acid
  assessment of comedolysis, 100
13-*cis*-retinoic acid isomerization to, 321
13-*cis*-Retinoic acid, in sebocytes, 321
13-*cis*-Retinoic Acid Exerts its Specific Activity on Human Sebocytes through Selective Intracellular Isomerization to All-*trans*-Retinoic Acid and Binding to Retinoid Acid Receptors, Tsukada M, Schröder M, Roos TC, Chandraratna RAS, Reichert U, Merk HF, Organos CE, Zouboulis CC, 321
Ret kinase, UV-induced activation, 1157
Rhino mouse, fluorescence spectrometry of comedones, 100
Role of the Initiator Element in the Regulation of the Melanoma Cell Adhesion Molecule Gene, Karlen S, Braathen LR, 668
Role of Sp1 Response Element in Transcription of the Human Transglutaminase 1 Gene, Jessen BA, Phillips MA, Hovnanian A, Rice RH, 113
RPF-RET-transgenic mice, 1157
rTA, for conditional gene expression, 788
RWJ-50353, skin pigmentation and, 162

S

S100A2, in human keratinocytes, 477
SCID mouse
  anti-sense therapy suppressing ICAM-1, 805
  human scalp hair follicle grafts, 200
  with TGF-β1 deficiency, 3
SCORTEN: A Severity-of-Illness Score for Toxic Epidermal Necrolysis, Bastuji-Garin S, Fouchard N, Bertocchi M, Roujeau J-C, Revuz J, Wolkenstein P, 149
Sebaceous glands, melanocortin 5 receptors, 614
Sebocytes, 13-*cis*-retinoic acid action, 321
Sebum production, role of melanocortins, 614
Selective Upregulation of Fibroblast Fas Ligand Expression, and Prolongation of Fas/Fas Ligand-Mediated Skin Allograft Survival, by Retinoic Acid: the Skin as a Retinoid-Inducible Immune Privilege Site, Saitoh A, Kawanabe T, Weidong H, Kayagaki N, Kawamura T, Yagita H, Okumura K, Shimada S, 154
S-Endo (CD146), in keratinocytes, 219
A Sensitive Gas Chromatography-Mass Spectrometry Assay Reveals Increased Levels of Monohydroxyeicosatetraenoic Acid Isomers in Human Plasma After Extracorporeal Photoimmunotherapy and Under *In Vitro* Ultraviolet A Exposure, Wiswedel I, Bohne M, Hirsch D, Kühn H, Augustin W, Gollnick H, 499
Serine proteases
  in chronic wounds, 12
  inhibitors, 162
Serine/threonine kinase, leucine-zipper protein kinase, 860
Settling the Score on Hairless, *Letter*, Aita VM, Zlotogorski A, Christiano AM, 761
Severe combined immunodeficient mouse *see* SCID mouse
Sheep, *Barx2* in wool follicle development, 753
Skin allografts, retinoic acid and, 154
Skin cancer
  basal-cell adhesion molecule, 1047
  carotenoid concentrations and, 441
  CD146 expression, 219
  genetic analysis of progression, 1095
  in heart transplant recipients, 1159
  natural history of solar keratoses and, 273
  UVB-induced, in xeroderma pigmentosum, 687
  UVB and UVA-induced chromosomal aberrations and, 435
  in xeroderma pigmentosum, 974
  see also Basal cell carcinoma; Melanoma
Skin fragility syndrome, new plakophilin 1 mutation, 368
Skin lightening agents, 162
Skin pigmentation
  melanosome transfer and, 162
  p gene function, 607
  underwhite locus and, 601
Skin reactions, processing in cerebral cortex, 1029
Skin tumors, basal-cell adhesion molecule expression, 1047
Society for Cutaneous Ultrastructure Research, 2000, *Abstracts*, 919
Society for Dermatological Research (French-speaking), 2000, *Abstracts*, 509
Society for Investigative Dermatology, annual meeting, 2000, *Abstracts*, 331
Sodium dodecyl sulfate, cytotoxicity and induction of cytokine release, 292
Solar keratoses, incidence and regression rates in Queensland, 273
Sp1 response element, transglutaminase 1 gene, 113
The Spectrum of Mitochondrial DNA Deletions is a Ubiquitous Marker of Ultraviolet Radiation Exposure in Human Skin, Ray AJ, Turner R, Nikaido O, Rees JL, Birch-Machin MA, 674
Sphingomyelin, in Nieman–Pick disease, 459
Sphingomyelinase
  acid, in permeability barrier homeostasis, 459
  in keratin 10 deficient mice, 708
Sphingomyelin deacylase, in atopic dermatitis, 406
Squamous cell carcinoma, genetic analysis of progression, 1095
Stimulation of PPARα Promotes Epidermal Keratinocyte Differentiation *In Vivo*, Kömüves LG, Hanley K, Lefebvre A-M, Man M-Q, Ng DC, Bikle DD, Williams ML, Elias PM, Auwerx J, Feingold KR, 353
Stratum corneum
  formation, role of caspase-14, 1148
  urocanic acid, 414
  see also Cornified cell envelope
Stromelysin-2, in wound repair, 778
Stromelysin-2 is Upregulated During Normal Wound Repair and is Induced by Cytokines, Rechardt O, Elomaa O, Vaalamo M, Pääkkönen K, Jahkola T, Höök-Nikanne J, Hembry RM, Häkkinen L, Kere J, Saarialho-Kere U, 778
Studies on Epidermis Reconstructed with and without Melanocytes: Melanocytes Prevent Sunburn Cell Formation but not Appearance of DNA Damaged Cells in Fair-Skinned Caucasians, Cario-André M, Pain C, Gall Y, Ginestar J, Nikaido O, Taïeb A, 193
Subacute cutaneous lupus erythematosus (SCLE), TNF-α polymorphism, 726
Substance P, acute effects in human skin, 1015
Sunburn
  dipyrimidine photolesions and, 37
  protective effects of melanocytes, 193
Sun protection, in xeroderma pigmentosumm, 974
Sunscreens, protective effects, 37, 421
Superoxide, generation by polymorphonuclear leukocytes, 986
Suppressive Effects of Cyclosporin A and FK-506 on Superoxide Generation in Human Polymorphonuclear Leukocytes Primed by Tumor Necrosis Factor α, Goto Y, Kono T, Ishii M, Sato EF, 986
Sustained Systemic Delivery of Monoclonal Antibodies by Genetically Modified Skin Fibroblasts, Noël D, Pelegrin M, Brockly F, Lund AH, Piechaczyk M, 740
Systemic lupus erythematosus, subacute, TNF-α polymorphism, 726

T

Tactile properties, and skin hydration in elderly, 454
TARC, in atopic dermatitis, 640
T-cell receptors (TCR)
  β-chain V repertoire in human skin, 66
  gene rearrangements, single cell PCR, 620

T cells
in adverse drug reactions, 647
CLA^+CCR4^+, in atopic dermatitis, 640
clonal
in cutaneous T cell lymphoma, 994
in lichen sclerosus et atrophicus, 254
in mycosis fungoides, 504
cytotoxic *see* Cytotoxic T lymphocytes
localization in mycosis fungoides, 620
memory, in atopic dermatitis, 1161
regulation of CLA expression, 299
target epitopes on BP180, 955
TCR repertoire in human skin, 66
T Cells Isolated from Positive Epicutaneous Test Reactions to Amoxicillin and Ceftriaxone are Drug Specific and Cytotoxic, Yawalkar N, Hari Y, Frutig K, Egli F, Wendland T, Braathen LR, Pichler WJ, 647
Terminal Differentiation of Human Keratinocytes and Stratum Corneum Formation is Associated with Caspase-14 Activation, Eckhart L, Declercq W, Ban J, Rendl M, Lengauer B, Mayer C, Lippens S, Vandenabeele P, Tschachler E, 1148
Tetracycline regulatory system, for conditional gene expression, 788
Th1 cytokines
$CD4^+$ cytotoxic T lymphocyte clone, 74
interleukin-17 and keratinocyte activation, 81
in mouse B16 melanoma, 1059
Th2 cytokines
in atopic dermatitis, 640
interleukin-17 and keratinocyte activation, 81
A Th_2 Chemokine, TARC, Produced by Keratinocytes May Recruit CLA^+CCR4^+ Lymphocytes into Lesional Atopic Dermatitis Skin, Vestergaard C, Bang K, Gesser B, Yoneyama H, Matsushima K, Larsen CG, 640
Thalidomide, in reactional leprosy, 935
T helper cells, interleukin-17 and keratinocyte activation, 81
Thy-1, on endothelial cells and fibroblasts, 882
Thy-1 ligand, localization, 882
Tissue inhibitor of metalloproteinase-2 (TIMP-2), in psoriasis, 771
Tissue inhibitor of metalloproteinase-3 (TIMP-3), induction by PUVA, 909
Tissue inhibitors of metalloproteinase (TIMPs)
chronic wound fibroblasts, 225
in melanoma, 337
Titanium dioxide (TiO_2)-containing sunscreens, 421
Tolerance, induction by calcitonin gene-related peptide, 942
Topical ALA-Photodynamic Therapy for the Treatment of Acne Vulgaris, Hongcharu W, Taylor CR, Chang Y, Aghassi D, Suthamjariya K, Anderson RR, 183
Toxic epidermal necrolysis
Fas signaling, 141
severity-of-illness score, 149
Transactivators, tetracycline-regulated (tTA and rTA), 788
Transcription factors
melanoma cell adhesion molecule regulation, 668
regulating MIA expression in melanoma, 42
Transforming Growth Factor β1 Induces Apoptosis in Normal Melanocytes but not in Nevus Cells Grown in Type I Collagen Gel, Alanko T, Saksela O, 286
Transforming growth factor-β1 (TGFβ1), immunodeficient knockout mice, 3
Transgenic mice
conditional gene expression, 788
keratin 6a constructs, 795
RPF-RET, UV irradiation, 1157
Transglutaminase 1 gene, Sp1 response element, 113
Transglutaminases, inactivation by nitric oxide, 731
Treatment with an Anti-CD44v10-Specific Antibody Inhibits the Onset of Alopecia Areata in C3H/HeJ Mice, Freyschmidt-Paul P, Seiter S, Zöller M, König A, Ziegler A, Sundberg JP, Happle R, Hoffmann R, 653
Trichohyalin, peptidylarginine deiminase type III and, 813
Trichophyton rubrum, xanthomegnin production, 901
Trinitrophenyl (TNP)-derived peptides, 260
tTA, for conditional gene expression, 788
Tumor Antigen Presentation by Dermal Antigen-Presenting Cells, Campton K, Ding, W, Yan Z, Ozawa H, Seiffert K, Miranda E, Lonati A, Beissert S, Granstein RD, 57
Tumor-associated antigens, dermal presentation, 57
Tumor necrosis factor (TNF), phenol and sodium dodecyl sulfate induced release, 292
Tumor necrosis factor-α (TNF-α)
in leprosy, 935
in Lyme borreliosis, 1115
polymorphism in subacute cutaneous lupus erythematosus, 726
-primed polymorphonuclear leukocytes, 986
promoter polymorphism and psoriatic arthritis, 1163
xeroderma pigmentosum keratinocytes, 687
Tumor progression
basal-cell adhesion molecule and, 1047
CD30 and Fas signaling, 1034
genetic analysis in human skin carcinoma, 1095
matrix metalloproteinases and, 337
Twins
dermatitis herpetiformis and celiac disease, 990
polymorphic light eruption, 467
Tyrosinase
downregulation by yohimbine, 130
regulation by phosphatidylinositol 3-kinase, 699
Tyrosinase related protein 1, 607
Tyrosinase-related protein-2/dopachrome tautomerase gene
cell density dependent expression and glycosylation, 106
mRNA isoforms, 48

U

Ultraviolet-A-Induced Transactivation of the Vascular Endothelial Growth Factor Gene in HaCaT Keratinocytes Conveyed by Activator Protein-2 Transcription Factor, Gille J, Reisinger K, Asbe-Vollkopf A, Hardt-Weinelt K, Kaufmann R, 30
Ultraviolet A (UVA)
extracorporeal photoimmunotherapy, 499
-induced chromosomal aberrations, 435
induction of VEGF gene expression, 30
plus psoralen (PUVA), fibroblast genes induced, 909
sunscreens, protection against dipyrimidine photolesions, 37
Ultraviolet-B-Induced Apoptosis and Cytokine Release in Xeroderma Pigmentosum Keratinocytes, Petit-Frère C, Capulas E, Lowe JE, Koulu L, Marttila RJ, Jaspers NGJ, Clingen PH, Green MHL, Arlett CF, 687
Ultraviolet B-Mediated Phosphorylation of the Small Heat Shock Protein HSP27 in Human Keratinocytes, Wong JW, Shi B, Farboud B, McClaren M, Shibamoto T, Cross CE, Isseroff RR, 427
Ultraviolet B (UVB)
calcitonin gene-related peptide and, 942
carboxyfullerenes and, 835
-induced chromosomal aberrations, 435
-induced IL-8 production, 267
induction of TNF-α promoter, 726
and magnesium ions, effects on Langerhans cells, 680
peroxiredoxin expression and, 1108
phosphorylation of HSP27, 427
protective role of melanocytes, 193
regulation of melanogenesis, 381
sunscreens, protection against dipyrimidine photolesions, 37
xeroderma pigmentosum keratinocytes and, 687
Ultraviolet Radiation Induces Both Full Activation of Ret Kinase and Malignant Melanocytic Tumor Promotion in *RFP-RET*-Transgenic Mice, *Letter*, Kato M, Liu W, Akhand AA, Hossain K, Takeda K, Takahashi M, Nakashima I, 1157
Ultraviolet (UV) radiation
and caffeine, in xeroderma pigmentosum variant, 981
death receptor signaling pathways, 141
mitochondrial DNA damage, 674
POMC peptide expression and, 1021
retinoblastoma protein dephosphorylation, 88
RPF-RET-transgenic mice, 1157
urocanic acid photoisomerization, 421
Umbilical cord, cytokeratins and cornified cell envelope-associated proteins, 133
Underwhite (uw) locus, mouse, 601
The Underwhite (uw) Locus Acts Autonomously and Reduces the Production of Melanin, Lehman AL, Silvers WK, Puri N, Wakamatsu K, Ito S, Brilliant MH, 601
Uniparental disomy, paternal, in Herlitz junctional epidermolysis bullosa, 307
Urocanic acid
human skin pH and, 414
photoisomerization, sunscreens and, 421

Uroporphyrinogen decarboxylase mutations, 868
Use of Domain-Swapped Molecules for Conformational Epitope Mapping of Desmoglein 3 in Pemphigus Vulgaris, Futei Y, Amagai M, Sekiguchi M, Nishifuji K, Fujii Y, Nishikawa T, 829

V

Vascular endothelial growth factor (VEGF)
in chronic wounds, 12
in melanoma, 1000
ultraviolet A induced gene expression, 30
Vehicles, allergy test systems, 914
Vernix caseosa, 875
Vibrissa follicles *in vitro*, rat, 1152
Vitamin A, therapy of aged human skin, 177
Vitiligo
IgG anti-melanocyte antibodies, 969
mouse B16 melanoma and, 1059
Vohwinkel syndrome, ichthyotic variant, 1088

W

Warts, viral, CD146 expression, 219
Water content, vernix caseosa, 875
Wool follicles, *Barx2* in developing, 753
Wortmannin, in keloid fibroblasts, 1065
Wound healing
abnormal, in keloids, 1065
in CXCR2 knockout mice, 234
in diabetic mouse, chemokines and, 245
extracellular matrix reorganization, 225
glycyl-L-histidyl-L-lysine-Cu^{2+} and, 962
in immunodeficient TGF-β1 knockout mice, 3
placenta growth factor and, 388
stromelysin-2 and, 778
VEGF and, 12
Wy-14,643, 361

X

Xanthomegnin, in *Trichophyton rubrum* infection, 901
Xeroderma pigmentosum
Israeli family with, 974
keratinocytes, effects of UVB, 687
variant heterozygotes, cellular markers, 981
Xeroderma Pigmentosum Variant Heterozygotes Show Reduced Levels of Recovery of Replicative DNA Synthesis in the Presence of Caffeine after Ultraviolet Irradiation, Itoh T, Linn S, Kamide R, Tokushige H, Katori N, Hosaka Y, Yamaizumi M, 981
XPC gene, frameshift mutation, 974

Y

Yohimbin tyrosinase downregulation, 130